



<b>Publication Year</b>	2015
<b>Acceptance in OA</b>	2020-04-03T11:22:55Z
<b>Title</b>	Feeding an astrophysical database via distributed computing resources: The case of BaSTI
<b>Authors</b>	TAFFONI, Giuliano, SCIACCA, Eva, PIETRINFERNI, Adriano, Becciani, U., COSTA, Alessandro, CASSISI, Santi, Pasian, F., Pelusi, D., VUERLI, Claudio
<b>Publisher's version (DOI)</b>	10.1016/j.ascom.2015.02.001
<b>Handle</b>	<a href="http://hdl.handle.net/20.500.12386/23819">http://hdl.handle.net/20.500.12386/23819</a>
<b>Journal</b>	ASTRONOMY AND COMPUTING
<b>Volume</b>	11

Elsevier Editorial System(tm) for Astronomy and Computing  
Manuscript Draft

Manuscript Number:

Title: Feeding an astrophysical database via distributed computing resources: the case of BaSTI

Article Type: SI: Virtual Observatory

Section/Category: Special Issue : Virtual Observatory

Keywords: Stellar evolution semi-analytical codes science gateway workflow

Corresponding Author: Dr. giuliano taffoni, Ph.D.

Corresponding Author's Institution: INAF

First Author: giuliano taffoni, Ph.D.

Order of Authors: giuliano taffoni, Ph.D.; Eva Sciacca, Dr.; Adriano Pietrinferni; Ugo Becciani; Alessandro Costa; Santi Cassisi; Fabio Pasian; Claudio Vuerli

Abstract: Stellar evolution model databases, spanning a wide range of masses and initial chemical compositions, are nowadays a major tool to study Galactic and extragalactic stellar populations. The Bag of Stellar Tracks and Isochrones (BaSTI) database is a VO-compliant theoretical astrophysical catalogue that collects fundamental data sets involving stars formation and evolution. The creation of this database implies a large number of stellar evolutionary computations that are extremely demanding in terms of computing power. Here we discuss the efforts devoted to create and update the database using Distributed Computing Infrastructures and a Science Gateway and its future developments within the framework of the Italian Virtual Observatory project.

# Feeding an astrophysical database via distributed computing resources: the case of BaSTI

G. Taffoni<sup>b</sup>, E. Sciacca<sup>c</sup>, A. Pietrinferni<sup>a</sup>, U. Becciani<sup>c</sup>, A. Costa<sup>c</sup>, S. Cassisi<sup>a</sup>,  
F. Pasian<sup>b</sup>, C. Vuerli<sup>b</sup>

<sup>a</sup>*INAF - Astronomical Observatory of Teramo, Via M. Maggini, s.n. 64100, Teramo, Italy*

<sup>b</sup>*INAF - Astronomical Observatory of Trieste, Via G.B. Tiepolo 11, 34143, Trieste, Italy*

<sup>c</sup>*INAF - Astrophysical Observatory of Catania, Via S. Sofia 78, 95123, Catania, Italy*

---

## Abstract

Stellar evolution model databases, spanning a wide ranges of masses and initial chemical compositions, are nowadays a major tool to study Galactic and extragalactic stellar populations. The Bag of Stellar Tracks and Isochrones (BaSTI) database is a VO-compliant theoretical astrophysical catalogue that collects fundamental data sets involving stars formation and evolution. The creation of this database implies a large number of stellar evolutionary computations that are extremely demanding in term of computing power. Here we discuss the efforts devoted to create and update the database using Distributed Computing Infrastructures and a Science Gateway and its future developments within the framework of the Italian Virtual Observatory project.

*Keywords:* Stellar evolution, semi-analytical code, science gateway, workflow

---

## 1. Introduction

The availability of large sets of stellar evolution models spanning a wide range of stellar masses and initial chemical compositions is a necessary prerequisite for any investigation aimed at interpreting observations of Galactic and extragalactic, resolved and unresolved stellar populations. In the last years,  
5 thanks to the new developments in various fields of Physics our understand-

---

*Email address:* `taffoni@oats.inaf.it` (G. Taffoni)

ing of the structure and evolution of stars improved and consequently also the stellar evolution models increased in complexity and completeness.

Pietrinferni et al. (2004) built a database of evolutionary predictions: The  
10 Bag of Stellar Tracks and Isochrones (BaSTI, see Pietrinferni et al. (2004, 2006,  
2009, 2013), Cassisi et al. (2006), Cordier et al. (2007)). The database collects  
the results of a large number numerical simulations based on Frascati Raph-  
son Newton Evolutionary Code (FRANEC) (Pietrinferni et al., 2004) and it is  
specifically devised for population synthesis studies of resolved and unresolved  
15 stellar populations.

BaSTI relational database archives a large number of parameters such as  
chemical composition coverage, improvements in the model input physics and  
bolometric corrections/colour transformations, coverage of physical parameters,  
reproduction of empirical constraints, ease of interpolation and inclusion in pop-  
20 ulation synthesis codes. For this reason it is considered one of the most complete  
stellar libraries (Conroy, 2013; Gallart et al., 2005; Marín-Franch et al., 2010).

The Database has been designed to account the following main criteria for  
a reliable and homogeneous stellar evolution library:

1. the input physics employed in the model computations is the most up-to-  
25 date;
2. models for all initial chemical compositions are computed with the same  
evolutionary code and the same physical framework;
3. models and isochrones reproduce a large array of empirical constraints  
obtained from observations of single stars and local resolved stellar popu-  
30 lations.
4. all results have to be easily available to the potential users.

Recently BaSTI has been expanded by adding new important quantities  
evaluated during the key points of stellar evolution to allow a fast visualisation  
of these phases. A particular effort has been devoted to port BaSTI to a VO-  
35 compliant environment (see Pietrinferni et al. (2014) for more details) and to  
develop a new simple and user-friendly web interface (Pietrinferni et al., 2014).

From a computational point of view, to populate the BaSTI database with a new isochrone it is necessary to execute a large number of FRANEC runs that are extremely demanding in terms of CPU time. New runs are necessary to update, maintain and extend the database and to keep the accuracy, homogeneity and completeness of the data. Extensions are often requested by Astronomers that need new data for their scientific activities.

To carry out this large set of simulations we need an extremely high computational power, Taffoni et al. (2010) showed that a Distributed Computing Infrastructure (DCI) can be successfully used to address this problem. However, even today's most powerful DCI such as Grid or Cloud computing infrastructures still have limitations, especially due to the design of the user interfaces. Many sophisticated tools are command line driven and are complex to use. As a consequence, new users have to become familiar, not only with Astrophysical methods and theories, but also with the use of new codes and with the handling of complex computing resources. In order to hide this complexity, it is common to adopt Science Gateways (SG) technologies (Raicu et al., 2006; Wilkins-Diehr et al., 2008) powered by a workflow management systems to distribute computation on various computing infrastructures (Belloum et al., 2011; Deelman et al., 2009; Barker and van Hemert, 2008; Curcin and Ghanem, 2008).

A SG or portal is defined here as a community-developed set of tools, applications, and data that are integrated via a portal customised to meet the needs of the Astronomical community. The computational processes supported by SGs are organized as scientific workflows that specify dependencies among underlying tasks for orchestrating DCI resources (such as clusters, grids or clouds). SG technologies allow a scientific research community to create a web-based working environment where researchers can concentrate on scientific problems without facing the complexities of the computing, data and workflow infrastructure.

In this paper we discuss the design and development of a SG that allows to execute different type of FRANEC runs giving the Astronomers the possibility of updating the BaSTI database or to make on demand simulations of synthetic stellar evolutionary tracks. In the next Section we discuss the physics inputs

adopted in the updated version of FRANEC and we describe the global properties of the code. In Section 3 we present the SG technology adopted to develop  
70 a FRANEC SG that allows to execute FRANEC runs on local clusters, Grid  
or Cloud infrastructures. In Section 4 we present the FRANEC SG. Finally  
we compare this approach with the use of DCI previously adopted by Taffoni  
et al. 2009. We also discuss the “connection with the virtual observatory”.  
Final remarks and a short discussion concerning the planned developments in  
75 the context of Euro-VO will conclude the paper.

## 2. FRANEC evolutionary code

BaSTI has been computed by using an new version of the FRANEC evolutionary code. FRANEC is a Fortran 77 code, that simulates the evolution of a star on the basic of a number of different physical inputs and parameters. Al-  
80 most all the adopted physics inputs have been updated in the new version as well  
as numerical scheme for treating the nuclear burnings and the accuracy of the  
numerics. The nuclear reaction rates have been updated by using the NACRE  
compilation (Angulo et al., 1999), with the exception of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  reac-  
tion, that comes from Kunz et al. (2002). As for the Equation of State (EOS),  
85 we employ the new EOS by A. Irwin (Cassisi et al., 2003), that covers the full  
structure of the models along with all the relevant evolutionary stages.

All stellar models have been computed by fixing the extension of the con-  
vective core during core H-burning both classically (Schwarzschild criterion)  
and considering a non-negligible overshooting beyond the Schwarzschild bound-  
90 ary ( $\lambda_{OV} = 0.2Hp$ ). This latter choice reproduces empirical constraints com-  
ing from intermediate-age cluster Color-Magnitude Diagrams (CMDs) and field  
eclipsing binaries.

We have also accounted for mass loss by using the Reimers formula (Reimers,  
1975) with the free parameter  $\eta$  set to zero (no mass loss), 0.2 and 0.4, respec-  
95 tively.

A single run of FRANEC produces one synthetic model (SM). A model

mixture	scaled-solar					$\alpha$ -enhanced			
	0.0	0.2	0.4	0.2	0.4	0.2	0.4	0.2	0.4
$\eta$	0.0	0.2	0.4	0.2	0.4	0.2	0.4	0.2	0.4
$\lambda_{OV}$	0.2	0	0.2	0	0.2	0	0.2	0	0.2
$N^O$ tracks	20	20	20	40	20	20	20	40	20
$M_{min}(M_{\odot})$	0.5	0.5	1.1	0.5	1.1	0.5	1.1	0.5	1.1
$M_{max}(M_{\odot})$	2.5	2.4	2.4	10	10	2.4	2.4	10	10
$N^O$ isoc.	44	63	44	54	44	63	44	54	44
$Age_{max}(\text{Gyr})$	9.5	19	9.5	14.5	9.5	19	9.5	14.5	9.5
Photometric system	UBVRIJKL - ACS HST - Strömgren - Walraven Sloan - WFC2 - WFC3 (UVIS, IR)								

Table 1: The main characteristics of the *BaSTI* archive

evolves from the Pre-Main Sequence phase up to the C-ignition, or until the first thermal pulses along the asymptotic giant branch. A SM run (SMR) is a very simple pipeline consisting of 2 different software (SW) modules: the FreeEoS code and FRANEC. It can last from 1 hour up to several hours according to the value of the initial mass and metallicity.

To compute an isochrone (Full Isochrone Run, FIR), it is necessary to execute a large number of SMR varying initial mass and metallicity. The calculations cover 13 different metallicities, namely  $Z = 0.00001, 0.0001, 0.0003, 0.0006, 0.001, 0.002, 0.004, 0.008, 0.01, 0.0198, 0.03$  and  $0.04, 0.05$ , with two different heavy element distributions each: a scaled-solar (N. and A., 1993) and an  $\alpha$ -enhanced (Salaris and Weiss, 1998) one. We adopted a cosmological He mass fraction  $Y = 0.245$  (Cassisi et al., 2003), and a helium-to-metal enrichment ratio  $\Delta Y/\Delta Z \approx 1.4$ , fixed by the initial solar metal mass fraction obtained from the calibration of the standard solar model.

For each chemical composition it is also necessary to compute additional He-burning models with He-core mass and envelope chemical profile fixed by a Red Giant Branch (RGB) progenitor having an age of  $\sim 13$  Gyr at the RGB tip, and a range of values of the total stellar mass. These Horizontal Branch

115 (HB) models ( $\sim 30$  for each chemical composition) constitute a valuable tool to perform synthetic HB modelling, and to investigate pulsational and evolutionary properties of different types of pulsating variable stars.

Data obtained by the simulations is then post-processed and correlated to compute the isochrones. Different isochrones are calculated making different  
120 FIR varying other physical parameters as the EOS or the heavy element distribution.

During a FIR a single EOS is shared by a number of independent FRANEC runs. Data produced is then processed to compute the isochrone. Figure 1 displays some tracks and isochrones for  $Z=0.002$ ,  $Y=0.248$  and scaled-solar mixture  
125 of BaSTI DB. Luminosities and effective temperatures of the models produced by the code should be transformed to magnitudes and colours for several photometric filters –see Table 1– by using colour- $T_{eff}$  transformations and bolometric corrections obtained from an updated set of calculations of stellar model atmospheres and spectra.

130 The accuracy of theoretical predictions archived in BaSTI DB, have been extensively tested by employing comparisons with Color Magnitude Diagrams (CMDs) of field stars and a sample of stellar clusters with empirically established parameters like distance,  $[Fe/H]$  and reddening (Percival et al., 2009; Cordier et al., 2007; Pietrinferni et al., 2004, 2006)

135 On the other side, the BaSTI theoretical framework has been used by several authors to perform their scientific investigations (Skillman et al., 2014; Calamida et al., 2014; King et al., 2012; Monachesi et al., 2012; Milone et al., 2012; Cassisi et al., 2008; Piotto et al., 2005, 2007; Recio-Blanco et al., 2005)).

Different isochrones are calculated making different FIR varying other phys-  
140 ical parameters as the EOS or the heavy element distribution.

During a FIR a single EOS is shared by a number of independent FRANEC runs. Data produced is then processed to compute the isochrone (ex. Figure 1).

To populate the BaSTI DB with a new isochrone it is necessary to execute a large number of FRANEC runs (typically more than 100) exploring  
145 large number of different parameters. This type of runs are commonly called




Figure 1: HR diagram for a sub-sample of tracks (black dashed lines) from  $0.8M_{\odot}$  to  $2.4M_{\odot}$  ( $\Delta M = 0.2M_{\odot}$ ) and isochrones (red solid lines) with age equal to 0.5, 5.0 and 12.0 Gyr (from left to right) for  $Z=0.002$ ,  $Y=0.248$  and scaled-solar mixture.

parameter-sweep jobs.

To carry out this large set of simulations we need an extremely high computational power and disk space. A DCI can be successfully used to address this problem. Actually, the benefit of using a DCI does not come only from its computational resources but also from some other added values that are intrinsic  
150 in a distributed environment. For example it allows the distribution of datasets over different sites avoiding single points of failure and making them directly available to all the Astronomers involved in the computation.

This transparent access to resources and data allows Astronomers to test  
155 extensively the parameter space, either by simulating and storing data or by retrieving information already produced and eventually re-processing it.

### 3. Science Gateways and workflow technology

To develop FRANEC SG it is necessary to identify a framework that simplifies the web interface design, that allows to easily configure the access to DCIs  
160 or local clusters and enables to implement user defined SFR and FIR workflows.

Scientific workflows have become an effective programming paradigm to compose complex computational modules for scientific simulations such as FRANEC. A workflow is a formal specification of a scientific process, which represents, streamlines and automates the analytical and computational steps that Astronomers need to go through from computation and analysis to final data  
165 presentation and visualisation. A workflow system supports the specification, modification, execution, failure recovery and monitoring of a workflow using a workflow engine.

The SG technology used to develop the FRANEC gateway is based on  
170 gUSE/WS-PGRADE (Kacsuk et al., 2012). gUSE/WS-PGRADE<sup>1</sup> is a collaborative and community oriented web application development environment based on the Liferay<sup>2</sup> portal framework. gUSE/WS-PGRADE computational

---

<sup>1</sup><http://www.guse.hu>

<sup>2</sup><http://www.liferay.com>

processes are natively organised as workflows.

WS-PGRADE is the workflow engine (Kacsuk, 2011), it offers generic ser-  
175 vices to handle distribution, monitoring and fault-tolerant distributed comput-  
ing in various types of platforms (e.g. web services, grids and clouds); automatic  
capture of provenance of the involved processes and data; workflow composition  
and progress monitoring; (see e.g. Kozłowski et al. (2012))

gUSE is a resource virtualization environment providing a large number of  
180 high-level DCI services. These services include a workflow storage, an applica-  
tion repository, an information system, and a monitoring system. Several types  
of DCIs are supported for the submission of workflows like grid and cloud infras-  
tructures, batch systems, and desktop grids (e.g., UNICORE, EMI, BOINC).

Moreover, gUSE/WS-PGRADE is integrated with SHIWA<sup>3</sup> workflow inter-  
185 operability platform, that grants workflow developers the freedom to choose  
their preferred workflow system for development, whereas enabling the execu-  
tion of all these workflows expressed in different languages within WS-PGRADE  
engine.

#### 4. The Distributed Computing Infrastructure

190 The gUSE environment allows to implement different gateway back-ends  
where actual computations are executed. In the case of FRANEC we identify  
two different resource: the European Grid Initiative (EGI) grid and a local  
computing cluster.

##### 4.1. EGI Grid environment

195 EGI developed a DCI based on the EMI Grid middleware (Aiftimiei et al.,  
2012). EMI middleware builds upon standard open source solutions like Condor  
(Frey et al., 2001), Globus (Foster et al., 2001), gLite (Laure et al., 2006),  
extended by the European Middleware Initiative<sup>4</sup>. This middleware provides

---

<sup>3</sup><http://www.shiwa-workflow.eu>

<sup>4</sup><http://www.eu-emi.eu>

the user with high level services for scheduling and running computational jobs,  
200 accessing and moving data, and obtaining information on the Grid infrastructure  
as well as Grid applications.

Workload Management System (WMS) is responsible for the distribution  
and management of tasks across Grid resources, in such a way that applications  
are efficiently executed. The computation tasks are described through a CON-  
205 DOR ClassAds-based Job Description Language (JDL). Each JDL file specifies  
both the binary to execute (the processing to perform) and the input/output  
files (the data to process) either directly (explicit mention of the input and  
output data files) or indirectly (through the job input sandbox, command line  
parameters).

210 Data Management System (DMS) takes care of file I/O, mass storage and  
data access and replication. Each file stored in the Grid has a Unique IDentifier  
(GUID). To make the file accessible also to a human user it is possible to assign  
one or more Logical File Names (LFN) to the same GUID. A LFN is a human  
readable string. Starting from the GUID or LFN it is possible to find the  
215 physical location of the file (SURL) and the transport protocol to use in order to  
move the file or to download it. EMI DMS is based on LFC File Catalogue. LFC  
maps LFNs or GUIDs to SURLs. LFC exposes to the user a set of commands  
that allow to manage files in the Grid.

gUSE can be configure to interact with both high level services (WMS) and  
220 to low level resources (the computing elements of each grid site) thanks to a  
software components called DCI bridge. Once gUSE is properly configured the  
workflow developer can decide which resource is more appropriate to execute  
workflow tasks expressed in terms of JDL jobs. Additionally gUSE is able to  
manage input data and output data via LFC distributed file system.

225 **5. FRANEC Science Gateway**

FRANEC Science Gateway<sup>5</sup> is designed as a workflow enabled grid portal that is wrapped around WS-PGRADE providing the execution of a set of FRANEC runs from a simplified web interface (see Figure 2).




Figure 2: FRANEC Science Gateway home page.

A FRANEC workflow (as depicted in Figure 3) has been developed using  
 230 WS-PGRADE native workflow language (Balasko et al., 2010). Moreover, we  
 decided to adopt a modular architecture, each module is a workflow task that  
 can be reused to build other workflows. We developed 7 modules as shown in  
 Figure 3. In particular:

- **EOS** module provides the Equation of State in tabular form. The in-  
 235 put values are the Metallicity  $Z$  and the type of mixture (combination of  
 chemical elements heavier than helium).
- **OPACITY** module produces a table of Opacity from pre-calculated ta-  
 bles. Given the Metallicity value  $Z$  and the type of mixture it obtains a

<sup>5</sup><http://starnet.oa-teramo.inaf.it:8081>

new table of opacity which is interpolated from the pre-calculated ones.

- **FRANEC** is the core module of the workflow. It produces the models of stellar evolution starting from the output of the two modules EOS and OPACITY and a set of input parameters given by the user to perform the evolution. It produces a set of parameter values varying in relation to time, quantities varying in relation to the radius of the model, the chemical composition of the core (vs. time), surface chemicals (vs. time), and energy resolution Flows(vs. time).
- **TAR** produces an archive of the main outputs.
- **GNUPLLOT** produces the output plots.




Figure 3: FRANEC workflow.

The dependencies between different modules are explicitly defined by the workflows visualisation and design interface. In Figure 3 we present the workflow

used to execute SFR. The nodes of the graph, represented by boxes, are the modules and denote the activities related to individual computations. Each module is actually a job to execute on the DCI. Each job communicates with other jobs within the workflow through job-owned input and output ports. An  
255 output port (small grey boxes) of a job connected with an input port (small green boxes) of a different job is called channel; these are directed edges of the graph. A single port must be either an input, or an output port of a given job.

The FIR workflow is a parameter sweep workflow (Kacsuk et al., 2008) where SIR workflows are executed in parallel sharing the same EOS module.

260 The simulations of stellar models produce simulation output files with a set of associated metadata. Such metadata are linked to all parameters concerning the numerical evolutionary code. In this way it is possible to store and easily search and retrieve the obtained data by many set of stellar simulations, and also get access to a huge amount of homogeneous data such as tracks and isochrones  
265 computed by using FRANEC.

A portlet has been developed to allow the configuration of the workflow execution (see Figure 4).

This customised web interface (Figure 4) has been developed to allow users to execute a SFR or a FIR. It is a portlet that allows to run the workflow on  
270 a DCI and to configure the workflow execution specifying input parameters for the star such as: the initial mass (in solar unit), the metal content, the initial helium abundance, the mixing-length value, the efficiency of the mass loss and of the overshooting.

The access to this portlet (i.e. web page) is restricted only to authenticated  
275 users. In fact security is a critical issue in developing a SG in particular when SG's resources are not entirely dedicated to the SG and managed by it, but they are DCIs shared with other communities. In this case it is necessary to implement an efficient user authentication and authorisation service. FRANEC SG supports user authentication for personalization, managing user information  
280 across sessions, tracking usage, and providing authenticated access to external resource.




Figure 4: FRANEC portlet (on the right) and Data Management portlet (on the left).

The portal implements a login module based on user name and password and a role-based authorisation modules. Roles allow to identify differ users profiles that allow to give access to different applications and resources. Currently we  
 285 define three roles: standard user, advanced user and administrator.

Guests are not provided with an account for the SG and they have access only to information about FRANEC and the features offered by the gateway. A new account can be created by a standard user or by exploiting credentials from already created Facebook or OpenId accounts.

290 Standard users are allowed to access the web interface to FRANEC runs. They are also allowed to change input and relevant parameters, to invoke and monitor workflows.

Advanced users can access additional features to create and change workflows and to set configurations of grid infrastructures.

295 The gateway implements some data management services by means of a graphical environment. A Data Management portlet (see the left portlet on Figure 4) allows users the recycling of their private staging area within the system for managing their datasets as well as images produced from such datasets.

All the evolutionary predictions generated by workflows are stored on a local  
300 file system or on an LFC distributed file system. The data management service  
is able to browse the two filesystems and gives the possibility to move upload  
and download user data from the web interface. Files can also be converted in  
VO-Tables, this allows to use VO tools like TOPCAT<sup>6</sup>, to analyse the simula-  
tion data, and to easily compare the theoretical predictions with observational  
counterparts and to import easily in the BaSTI database.




Figure 5: Data Management portlet (on the left) allows users to visualise graphs produced by  
FRANEC Workflow

305 All the implemented portlets are developed with the Java Vaadin web Frame-  
work <sup>7</sup>. This open source framework has been employed to implement server  
side Java Servlet based web applications using the full power and flexibility of  
Java without taking care of the client side since it compiles the Java source code  
310 to JavaScript which can then be run on browsers.

<sup>6</sup><http://www.star.bris.ac.uk/~mbt/topcat/>

<sup>7</sup><http://www.vaadin.com>

### 5.1. Science gateway and VO standards

In the framework of the Workflow4Ever project<sup>8</sup>, the Astrophysics community has developed more than 50 workflows using Taverna (Oinn et al., 2006) and the AstroTaverna plugin (Schaaff et al., 2012). AstroTaverna integrates existing Virtual Observatory web services as first-class building blocks in Taverna workflows (e.g. to search a registry, add found services to the workflow, manipulate data in form of VOTables, and convert coordinates).




Figure 6: Example of a met-workflow that is designed using two native modules and one Taverna2 AstroTaverna module that manipulate the output.

Those *Data-oriented* workflows are used to interact with data, being mainly designed to search and get data in distributed database systems, manipulate data or perform simple data analysis tasks. Each of these “Atomic” operations are implemented by an individual simple workflow module. These workflow modules are simple to operate and do not demand large computing effort, so they are executed using the Taverna Desktop environment, by an astronomer. The data tasks run locally or on clusters using IVOA standards to access computing resources.

gUSE/WS-PGRADE technology allows to import and execute non-native workflows. A non-native workflow is a module in a WS-PGRADE workflow,

<sup>8</sup><http://www.wf4ever-project.org>

which executes a workflow of some other workflow engine (e.g. a Taverna workflow). In this way it is possible to create a so called meta-workflow, which  
330 consists of a mixture of native and non-native workflows embedded within WS-PGRADE. Thanks to this capability we are able to embed AstroTaverna workflows as simple module to find and manipulate data and to access BaSTI database using IVOA standards directly from the gateway (see Figure 6). In particular we use modules to create VOTables from ASCII files, manipulate  
335 VOTables for visualisation and search data in BaSTI archive.

## 6. Discussion and Conclusions

In the last years, the BaSTI stellar evolution database has been largely used as a test-case for the integration and interoperability between VO and DCI facilities (see e.g. Taffoni et al. (2010)). Nowadays BaSTI provides, not only a  
340 database of stellar evolutionary tracks, but also a set of tools that facilitate the analysis of observations of stellar populations, providing “on demand” stellar evolution predictions thanks to a SG.

To provide an efficient “on demand service” for the Astronomical community and to feed the BaSTI database with new data, it is necessary to use an  
345 infrastructure able to execute a large number of numerical simulations. The vast number of simulations required can only be generated by computational resources that greatly exceed what the single institution can offer and for this reason DCI solutions are mandatory. Moreover, the adoption of a web interface can increase the number of Astronomers that benefit of this service and provides  
350 effective usage of the e-infrastructures.

A workflow-oriented gateway allows scientists to share their workflows and to identify best practices for investigating their datasets. More importantly, they can automate workflows for repeating computations varying input parameters (parameter-sweep jobs), which was a manual, slow and very error prone process  
355 in the past. In this way scientists can focus on their core scientific activities as opposed to spending time in data analysis on inadequate resources.

In this paper we discuss the use of a SG as an effective tool to profit of a DCI grid environment in running FRANEC jobs. The approach we propose here is an improvement respect to a previous work of Taffoni et. al. (2008) where  
360 a complex script-based environment was developed to allow Astronomers to execute FRANEC jobs on the Grid.

The use of a SG framework based on gUSE/WS-PGRADE has some main advantages:

- It speeds up the SG design and development. We focus our development  
365 activity on the design and implementation of the workflows and workflow modules, and on the web portlets used to configure and execute the SFR and FIR (Figure 4). All the implementation aspects, in particular the ones related to the interface towards the DCI, are built-in the gUSE/WS-PGRADE gateway framework and only need to be properly configured.  
370 The gateway framework offers the possibility to use different gateway's back-ends at the same time. Advanced users and developers can configure workflows or even workflow components to run on local linux clusters or on other DCIs.
- It offers an easy interface for Astronomers. A workflow-oriented gateway  
375 may offer a simple web user interface that allow to configure and execute simulation, visualise the simulation's results and to access to simulated data.
- It offers rapid prototyping of web user interfaces and strong support for parameter-sweep jobs.
- 380 • It offers a framework to integrate into the SG IVOA tools and services. The ability to execute meta-workflows can be used to re-use AstroTaverna workflows to access VO services directly from the portal.

We have received a positive feedback from the BaSTI users, reinforcing our belief that SG technology is a good approach for offering on-demand services to

385 Astronomers. The planned future developments of the Franec SG in the frame-  
work of the Italian Virtual Observatory initiative VObs.it, are the following:

1. We wish to include a TOPCAT visualization portlet on the SG and to  
implement SAMP (Taylor et al., 2012) technology to make the SG com-  
municate directly with the TOPCAT installed in the user desktop when  
390 available;
2. We wish to improve the graphical treatment of the stored data by provid-  
ing new and more efficient tools for improving the access to the data as  
well as the interoperability among various (theoretical and observational)  
resources;
- 395 3. We wish to implement IVOA Theory access protocols and standards. This  
effort is a fundamental requirement to facilitate and improve the inclusion  
of micro-simulations data inside the VO.

FRANEC gateway is also one of the partners of STARnet gateway federa-  
tion. STARnet Gateway Federation, is a federation of Astronomy and Astro-  
400 physics oriented SG designed and implemented to support the Astronomy and  
Astrophysics community and its peculiar needs (Becciani et al., in press).

STARnet envisages sharing a set of services for authentication, a common  
and distributed computing infrastructure, data archives and workflows reposi-  
tories. Each gateway provides access to specialized applications via customized  
405 workflows, the first implementation of STARnet provides workflows for cos-  
mological simulations, data post-processing and scientific visualization. These  
applications run on local or shared computing infrastructures thus guaranteeing  
resources availability and they can be shared between the different communities  
of the federation, published worldwide for dissemination purposes or kept local  
410 for privacy issues.

### **Acknowledgement**

The research leading to these results has received funding from the Eu-  
ropean Commission's Seventh Framework Programme (FP7/2007-2013) under

grant agreement no 283481 SCI-BUS (**SCI**entific gateway **B**ased **U**ser **S**upport)  
415 and the FP7 project under contract no 312579 ER-flow (Building an **E**uropean  
**R**esearch Community through Interoperable **W**ork**f**low**s** and **D**ata).

## References

- Aiftimiei, C., Aimar, A., Ceccanti, A., Cecchi, M., Meglio, A.D., Estrella, F.,  
Fuhrman, P., Giorgio, E., Konya, B., Field, L., Nilsen, J.K., Riedel, M.,  
420 White, J., 2012. Towards next generations of software for distributed infras-  
tructures: The european middleware initiative. 2012 IEEE 8th International  
Conference on E-Science 0, 1–10.
- Angulo, C., Arnould, M., Rayet, M., Descouvemont, P., Baye, D., Leclercq-  
Willain, C., Coc, A., Barhoumi, S., Aguer, P., Rolfs, C., Kunz, R., Hammer,  
425 J., Mayer, A., Paradellis, T., Kossionides, S., Chronidou, C., Spyrou, K.,  
Degl’Innocenti, S., Fiorentini, G., Ricci, B., Zavatarelli, S., Providencia, C.,  
Wolters, H., Soares, J., Grama, C., Rahighi, J., Shotton, A., Rächti, M.L.,  
1999. A compilation of charged-particle induced thermonuclear reaction rates.  
Nuclear Physics A 656, 3 – 183.
- 430 Balasko, A., Kozlovsky, M., Schnautigel, A., Karóckai, K., Márton, I., Strodl,  
T., Kacsuk, P., 2010. Converting p-grade grid portal into e-science gateways.  
International Workshop on Science Gateways , 1–6.
- Barker, A., van Hemert, J., 2008. Scientific workflow: A survey and research  
directions, in: Wyrzykowski, R., Dongarra, J., Karczewski, K., Wasniewski,  
435 J. (Eds.), Parallel Processing and Applied Mathematics. Springer Berlin Hei-  
delberg. volume 4967 of *Lecture Notes in Computer Science*, pp. 746–753.
- Becciani, U., et al., in press. Creating gateway alliances using WS-  
PGRADE/gUSE, in: Science Gateways for Distributed Computing Infras-  
tructures. Springer.

- 440 Belloum, A., Inda, M., Vasunin, D., Korkhov, V., Zhao, Z., Rauwerda, H., Breit,  
T., Bubak, M., Hertzberger, L., 2011. Collaborative e-science experiments and  
scientific workflows. *Internet Computing, IEEE* 15, 39–47.
- Calamida, A., Sahu, K.C., Anderson, J., Casertano, S., Cassisi, S., Salaris, M.,  
Brown, T., Sokol, J., Bond, H.E., Ferraro, I., Ferguson, H., Livio, M., Valenti,  
445 J., Buonanno, R., Clarkson, W., Pietrinferni, A., 2014. First detection of the  
white dwarf cooling sequence of the galactic bulge. *ApJ* 790, 164.
- Cassisi, S., Pietrinferni, A., Salaris, M., Castelli, F., Cordier, D., Castellani, M.,  
2006. BASTI: an interactive database of updated stellar evolution models.  
*MemSait* 77, 71.
- 450 Cassisi, S., Salaris, M., Irwin, A.W., 2003. The initial helium content of galactic  
globular cluster stars from the r-parameter: Comparison with the cosmic  
microwave background constraint. *ApJ* 588, 862.
- Cassisi, S., Salaris, M., Pietrinferni, A., Piotto, G., Milone, A.P., Bedin, L.R.,  
Anderson, J., 2008. The double subgiant branch of ngc 1851: The role of the  
455 cno abundance. *ApJ* 672, 115.
- Conroy, C., 2013. Modeling the panchromatic spectral energy distributions of  
galaxies. *ARA&A* 51, 393.
- Cordier, D., Pietrinferni, A., Cassisi, S., Salaris, M., 2007. A Large Stellar  
Evolution Database for Population Synthesis Studies. III. Inclusion of the  
460 Full Asymptotic Giant Branch Phase and Web Tools for Stellar Population  
Analyses. *AJ* 133, 468–478.
- Curcin, V., Ghanem, M., 2008. Scientific workflow systems - can one size fit  
all?, in: *Biomedical Engineering Conference, 2008. CIBEC 2008. Cairo Inter-  
national*, pp. 1–9.
- 465 Deelman, E., Gannon, D., Shields, M., Taylor, I., 2009. Workflows and e-science:  
An overview of workflow system features and capabilities. *Future Generation  
Computer Systems* 25, 528 – 540.

- Foster, I., Kesselman, C., Tuecke, S., 2001. The anatomy of the grid: Enabling scalable virtual organizations. *Int. J. High Perform. Comput. Appl.* 15, 200–  
470 222.
- Frey, J., Tannenbaum, T., Livny, M., Foster, I., Tuecke, S., 2001. Condor-g: a computation management agent for multi-institutional grids, in: *High Performance Distributed Computing, 2001. Proceedings. 10th IEEE International Symposium on*, pp. 55–63.
- 475 Gallart, C., Zoccali, M., Aparicio, A., 2005. The Adequacy of Stellar Evolution Models for the Interpretation of the Color-Magnitude Diagrams of Resolved Stellar Populations. *ARA&A* 43, 387–434.
- Kacsuk, P., 2011. P-grade portal family for grid infrastructures. *Concurrency and Computation: Practice and Experience* 23, 235–245.
- 480 Kacsuk, P., Farkas, Z., Kozlovsky, M., Hermann, G., Balasko, A., Karoczkai, K., Marton, I., 2012. Ws-pgrade/guse generic dci gateway framework for a large variety of user communities. *JGC* 10, 601–630.
- Kacsuk, P., Karoczkai, K., Hermann, G., Sipos, G., Kovacs, J., 2008. WS-PGRADE: Supporting parameter sweep applications in workflows, in: *Workflows in Support of Large-Scale Science, 2008. WORKS 2008. Third Workshop*  
485 on, Ieee. pp. 1–10.
- King, I.R., Bedin, L.R., Cassisi, S., Milone, A.P., Bellini, A., Piotto, G., Anderson, J., Pietrinferni, A., Cordier, D., 2012. Hubble space telescope observations of an outer field in omega centauri: A definitive helium abundance. *AJ*  
490 144, 5.
- Kozlovsky, M., Karóczkai, K., Márton, I., Balasko, A., Marosi, A., Kacsuk, P., 2012. Enabling generic distributed computing infrastructure compatibility for workflow management systems. *Computer Science* 13, 61–78.

- Kunz, R., Fey, M., Jaeger, M., Mayer, A., Hammer, J.W., Staudt, G., Harissopulos, S., Paradellis, T., 2002. Astrophysical reaction rate of  $^{12}\text{C}(\alpha, n)^{13}\text{C}$ . *ApJ* 567, 643.
- Laure, E., Gr, C., Fisher, S., Frohner, A., Kunszt, P., Krenek, A., Mulmo, O., Pacini, F., Prelz, F., White, J., Barroso, M., Buncic, P., Byrom, R., Cornwall, L., Craig, M., Meglio, A.D., Djaoui, A., Giacomini, F., Hahkala, J., Hemmer, F., Hicks, S., Edlund, A., Maraschini, A., Middleton, R., Sgaravatto, M., Steenbakkens, M., Walk, J., Wilson, A., 2006. Programming the grid with glite, in: *Computational Methods in Science and Technology*, p. 2006.
- Marín-Franch, A., Cassisi, S., Aparicio, A., Pietrinferni, A., 2010. The impact of enhanced He and CNO abundances on globular cluster relative age-dating methods. *ApJ* 714, 1072.
- Milone, A.P., Piotto, G., Bedin, L.R., King, I.R., Anderson, J., Marino, A.F., Bellini, A., Gratton, R., Renzini, A., Stetson, P.B., Cassisi, S., Aparicio, A., Bragaglia, A., Carretta, E., D'Antona, F., Di Criscienzo, M., Lucatello, S., Monelli, M., Pietrinferni, A., 2012. Multiple stellar populations in 47 Tucanae. *ApJ* 744, 58.
- Monachesi, A., Trager, S.C., Lauer, T.R., Hidalgo, S.L., Freedman, W., Dressler, A., Grillmair, C., Mighell, K.J., 2012. The star formation history of m32. *ApJ* 745, 97.
- N., G., A., N., 1993. Origin and evolution of the elements, in: Prantzos, N., Vangioni-Flam, E., Cassé, M. (Eds.), *Origin and Evolution of the Elements*, Cambridge University Press.
- Oinn, T., et al., 2006. Taverna: Lessons in creating a workflow environment for the life sciences. *Concurrency and Computation: Practice & Experience* 18, 1067 – 1100.
- Percival, S.M., Salaris, M., Cassisi, S., Pietrinferni, A., 2009. A large stellar

evolution database for population synthesis studies. iv. integrated properties and spectra. *ApJ* 690, 427.

Pietrinferni, A., Cassisi, S., Salaris, M., Castelli, F., 2004. A Large Stellar Evolution Database for Population Synthesis Studies. I. Scaled Solar Models and Isochrones. *ApJ* 612, 168–190.

Pietrinferni, A., Cassisi, S., Salaris, M., Castelli, F., 2006. A Large Stellar Evolution Database for Population Synthesis Studies. II. Stellar Models and Isochrones for an  $\alpha$ -enhanced Metal Distribution. *ApJ* 642, 797–812.

Pietrinferni, A., Cassisi, S., Salaris, M., Hidalgo, S., 2013. The BaSTI Stellar Evolution Database: models for extremely metal-poor and super-metal-rich stellar populations. *A&A* 558, A46.

Pietrinferni, A., Cassisi, S., Salaris, M., Percival, S., Ferguson, J.W., 2009. A Large Stellar Evolution Database for Population Synthesis Studies. V. Stellar Models and Isochrones with CNO/Na Abundance Anticorrelations. *ApJ* 697, 275–282.

Pietrinferni, A., Molinaro, M., Cassisi, S., Pasian, F., Salaris, M., Pelusi, D., Manzato, P., Vuerli, C., 2014. Basti: An updated, advanced and vo-compliant database of stellar evolution predictions. *A&C* , –.

Piotto, G., Bedin, L., Anderson, J., King, I., Cassisi, S., Milone, A.P., Villanova, S., Pietrinferni, A., Renzini, A., 2007. A triple main sequence in the globular cluster ngc 2808. *APJl* 661, 53.

Piotto, G., Villanova, S., Bedin, L., Gratton, R., Cassisi, S., Momany, Y., Recio-Blanco, A., Lucatello, S., Anderson, J., King, I.R., Pietrinferni, A., Carraro, G., 2005. Metallicities on the double main sequence of  $\omega$  centauri imply large helium enhancement. *ApJ* 621, 777.

Raicu, I., Foster, I., Szalay, A., Turcu, G., 2006. Astroportal: A science gateway for large-scale astronomy data analysis?, teragrid conference, in: TeraGrid Conference 2006. 23, 2008 NASA GSRP Final Report Page 5 of 5 Ioan Raicu.

- Recio-Blanco, A., Piotto, G., de Angeli, F., Cassisi, S., Riello, M., Salaris,  
550 M., Pietrinferni, A., Zoccali, M., Aparicio, A., 2005. A homogeneous set of  
globular cluster relative distances and reddenings. *ApJ* 432, 851.
- Reimers, D., 1975. Circumstellar absorption lines and mass loss from red giants.  
Memoires of the Societe Royale des Sciences de Liege 8, 369–382.
- Salaris, M., Weiss, A., 1998. Metal-rich globular clusters in the galactic disk:  
555 new age determinations and the relation to halo clusters. *A&A* 335, 943–953.
- Schaaff, A., et al., 2012. Scientific Workflows in Astronomy, in: *Astronomical  
Data Analysis Software and Systems XXI*, p. 875.
- Skillman, E.D., Hidalgo, S.L., Weisz, D.R., Monelli, M., Gallart, C., Aparicio,  
A., Bernard, E.J., Boylan-Kolchin, M., Cassisi, S., Cole, A.A., Dolphin, A.E.,  
560 Ferguson, H.C., Mayer, L., Navarro, J.F., Stetson, P.B., Tolstoy, E., 2014.  
The acs lcid project. x. the star formation history of ic 1613: Revisiting the  
over-cooling problem. *ApJ* 786, 44.
- Taffoni, G., Cassisi, S., Manzato, P., Molinaro, M., Pasian, F., Pietrinferni,  
A., Salaris, M., Vuerli, C., 2010. Grid and databases: Basti as a practical  
565 integration example. *JGC* 8, 223–240.
- Taylor, M.B., Boch, T., Fay, J., Fitzpatrick, M., Paioro, L., 2012. SAMP:  
Application Messaging for Desktop and Web Applications, in: Ballester, P.,  
Egret, D., Lorente, N.P.F. (Eds.), *Astronomical Data Analysis Software and  
Systems XXI*, p. 279.
- 570 Wilkins-Diehr, N., Gannon, D., Klimeck, G., Oster, S., Pamidighantam, S.,  
2008. Teragrid science gateways and their impact on science. *Computer* 41,  
32–41.

**LaTeX Source Files**

[Click here to download LaTeX Source Files: fsgw.tgz](#)