



Publication Year	2017
Acceptance in OA @INAF	2020-09-02T08:45:31Z
Title	Gaia Data Release 1 (Corrigendum). Principles of the photometric calibration of the G band
Authors	Carrasco, J. M.; Evans, D. W.; Montegriffo, P.; Jordi, C.; van Leeuwen, F.; et al.
DOI	10.1051/0004-6361/201629235e
Handle	http://hdl.handle.net/20.500.12386/27043
Journal	ASTRONOMY & ASTROPHYSICS
Number	601

Gaia Data Release 1

Principles of the photometric calibration of the G band (Corrigendum)

J. M. Carrasco¹, D. W. Evans², P. Montegriffo³, C. Jordi¹, F. van Leeuwen², M. Riello², H. Voss¹, F. De Angeli², G. Busso², C. Fabricius¹, C. Cacciari³, M. Weiler¹, E. Pancino^{5,8}, A. G. A. Brown⁶, G. Holland², P. Burgess², P. Osborne², G. Altavilla³, M. Gebran⁷, S. Ragaini³, S. Galletti³, G. Cocozza³, S. Marinoni^{4,8}, M. Bellazzini³, A. Bragaglia³, L. Federici³, and L. Balaguer-Núñez¹

¹ Institut de Ciències del Cosmos, Universitat de Barcelona (IEEC-UB), Martí Franquès 1, 08028 Barcelona, Spain
 e-mail: carrasco@fqa.ub.edu

² Institute of Astronomy, University of Cambridge, Madingley Road, Cambridge CB3 0HA, UK

³ INAF–Osservatorio Astronomico di Bologna, via Ranzani 1, 40127 Bologna, Italy

⁴ INAF–Osservatorio Astronomico di Roma, via Frascati 33, 00040 Monte Porzio Catone (Roma), Italy

⁵ INAF–Osservatorio Astrofisico di Arcetri, Largo Enrico Fermi 5, 50125 Firenze, Italy

⁶ Sterrewacht Leiden, Leiden University, PO Box 9513, 2300 RA Leiden, The Netherlands

⁷ Department of Physics and Astronomy, Notre Dame University-Louaize, PO Box 72, Zouk Mikael, Lebanon

⁸ ASI Science Data Center, via del Politecnico SNC, 00133 Roma, Italy

A&A 595, A7 (2016), DOI: [10.1051/0004-6361/201629235](https://doi.org/10.1051/0004-6361/201629235)

Key words. instrumentation: photometers – space vehicles: instruments – techniques: photometric – surveys – Galaxy: general – errata, addenda

This paper provides two corrections to the original paper that were due to typographical mistakes. These modifications do not affect the results included in the paper. In our study we used the correct equations and these typographical errors were introduced only while writing the document.

1. First correction

The zero point term in the across-scan (AC) dependency ($j = 0$) in Eq. (2) of the original paper (large scale, LS, calibration model) need to be deleted. Actually, the small scale (SS) term (Eq. (3) in the original document) already accounts for this zero point. Thus, the correct expression for Eq. (2) is the following:

$$LS_{skl} = \sum_{r=1}^R \sum_{m=1}^M A_{rml} \cdot (C_{sm})^r + \sum_{j=1}^J B_{jl} \cdot (\mu_k)^j. \quad (1)$$

This change affects Table 4 listing the number of coefficients in the model. The new table is now Table 1 in this document.

2. Second correction

Equations (6) and (7) in the original document need corrections. The correct Eq. (6) (weighted mean flux) is:

$$\bar{I}_s = \frac{\sum_k I_{sk} w_k}{\sum_k w_k}. \quad (2)$$

Table 1. Number of coefficients used in *Gaia* DR1 for a given calibration unit (l or l').

	Equation limits	N_{coefs}	Coefficients
LS	$R = 1, M = 6, J = 2$	8	$A_{11l}, A_{12l}, A_{13l},$ $A_{14l}, A_{15l}, A_{16l},$ B_{1l}, B_{2l}
SS	$R' = 0, M' = 1$	1	$a_{01l'}$

and the correct Eq. (7) (error on weighted mean flux) is:

$$\sigma_{\bar{I}_s} = \sqrt{\frac{\sum_k I_{sk}^2 w_k - \bar{I}_s^2 \sum_k w_k}{N_{\text{obs}} - 1}} \cdot \frac{1}{\sqrt{\sum_k w_k}}. \quad (3)$$

Acknowledgements. We thank Alessandro Spagna for spotting these typographical errors.