

Rapporti Tecnici INAF INAF Technical Reports

Number	98
Publication Year	2021
Acceptance in OA@INAF	2021-10-13T07:54:50Z
Title	BC-SIM-TR-015 SIMBIO-SYS Instrument CheckOut #01 Test Report
Authors	ZUSI, MICHELE; SIMIONI, EMANUELE; POLITI, ROMOLO; CAPRIA, MARIA TERESA; CAPACCIONI, FABRIZIO; Doressoundiram, Alain; PALUMBO, PASQUALE; Vincendon, Mathieu; CREMONESE, Gabriele
Affiliation of first author	IAPS Roma
Handle	http://hdl.handle.net/20.500.12386/31064; http://dx.doi.org/10.20371/INAF/TechRep/98

BC-SIM-TR-015 SIMBIO-SYS Instrument CheckOut #01 Test Report

Michele Zusi¹, Emanuele Simioni², Romolo Politi¹, Maria Teresa Capria¹, Fabrizio Capaccioni¹, Alain Doressoundiram³, Pasquale Palumbo⁵, Mathieu Vincendon⁴, Gabriele Cremonese²

¹INAF-IAPS, Via Fosso del Cavaliere 100, 00133, Rome, Italy

²INAF-OAPd, Vicolo Osservatorio 5,35122, Padua, Italy

³LESIA (Observatoire de Paris - PSL, Laboratoire d'Études Spatiales et d'Instrumentation en Astrophysique), 92195 Meudon Cedex, France

⁴CNRS (Institut d'Astrophysique Spatiale), Université Paris Sud, 91405, Orsay, France

⁵Università Parthenope, Centro Direzionale Isola C4, 80133, Naples, Italy

SIM3	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			1 of 15

Index

Approvation	3
Document change record	3
1. Introduction	4
1.1. Scope	4
1.2. Reference document	4
1.3 Acronyms	5
1.4 Document format and repository	6
1.5 Document organization	6
2. ICO#01 Objective	7
2. Test Implementation	<i>'</i>
2.1 CIMBIO CVC Functional Tests	0
	9
3.1.1. HRIC Functional Test	9
3.1.1.1. Scope	9
3.1.1.2. Results and discussion	9
3.1.2. STC Functional Test	10
3.1.2.1. Scope	10
3.1.2.2. Results and discussion	10
3.2. SIMBIO-SYS Performance Tests	11
3.2.1. HRIC Performance Test	11
3.2.1.1. Scope	11
3.2.1.2. Results and discussion	11
3.2.2. STC Performance Test	12
3.2.2.1. Scope	12
3.2.2.2. Results and discussion	12
3.2.3. VIHI Internal Calibration	13
3.2.3.1. Scope	13
3.2.3.2. Results and discussion	13

SIM310-SYS	Document	SIMBIO-SYS IC	BC-SIM CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			2 of 15

4.	Conclusions	14
4.1.	. Summary	14
4.2.	. Open issues	14

SIM3	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			3 of 15

Approvation

Document generation flow				
Edited by				
Michele Zusi				
	Emanuele Simioni			
Romolo Politi				
Approved by				
Gabriele Cremonese				

Document change record

Issue	Revision	Date	Affected pages	Change description
1	0	11/10/2021	All	First issue

SIM3	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			4 of 15

1. Introduction

1.1. Scope

This document will briefly report the results of the tests performed during the Instrument Checkout (ICO) # 01 for the Spectrometers and Imagers for MPO BepiColombo Integrated Observatory SYStem (SIMBIO-SYS) whose details are reported in [RD.1].

1.2. Reference document

- [RD.1] BC-SIM-PL-002 SIMBIOSYS Checkout_01_Test_Summary_Issue1_Revision0, 10.20371/INAF/TechRep/64 [RD.2] BC-SIM-TN-003_-_Reports_and_Note_Layout and Flow, 10.20371/INAF/TechRep/36 [RD.3] BC-SIM-TR-012 - HRIC ICO#01 report, 10.20371/INAF/TechRep/97 [RD.4] BC-SIM-TR-013 - STC ICO#01 report, 10.20371/INAF/TechRep/89 [RD.5] BC-SIM-TR-014_-_VIHI_ICO#01_report [RD.6] BC-SIM-TN-004 - SIMBIO-SYS FOP update after NECP, 10.20371/INAF/TechRep/58 [RD.7] BC-SIM-TR-005 - SIMBIO-SYS NECP Report, 10.20371/INAF/TechRep/42 [RD.8] BC-SIM-GAF-TN-113 rev.0 TEC Control Parameters Revision for Commissioning F1 [RD.9] BC-SIM-TR-010 - SIMBIO-SYS_deltaNECP_Test_Report_Issue1_Revision0, 10.20371/INAF/TechRep/83
- [RD.10]BC-SIM-TR-007_STC_dNECP_Report, 10.20371/INAF/TechRep/71

SIM3	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			5 of 15

[RD.11]BC-SIM-TR-001_-_EGSE_NECP_report,

10.20371/INAF/TechRep/22

[RD.12]BC-ESC-RP-10110, BepiColombo Mission Operations Report (MOR#28)

1.3. Acronyms

APID	Application Process IDentifier
ASW	Application SoftWare
CSV	Comma Separated Values
FPA	Focal Plane Assembly
FOP	Flight Operation Procedure
НК	Housekeeping
HRIC	High spatial Resolution Imaging Channel
ICO	Instrument Checkout
ME	Main Electronics
NECP	Near Earth Commissioning Phase
OBCP	On-Board Control Procedure
PDOR	Payload Direct Operation Request
PDS	Planetary Data System
PE	Proximity Electronics
PNG	Portable Network Graphics
PSC	Packet Sequence Control
SIMBIO-SYS	Spectrometers and Imagers for MPO
	BepiColombo Integrated Observatory SYStem
SSC	Source Sequence Count
SSMM	Solid State Mass Memory
STC	STereo imaging Channel
S/C	Space-Craft
тс	TeleCommand
TEC	Thermo-Electric Cooler
ТМ	Telemetry
VIHI	VIsible and Hyper-spectral Imaging channel
XML	eXtensible Markup Language

SIM310-SYS	Document	SIMBIO-SYS IC	BC-SIM CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			6 of 15

1.4. Document format and repository

This document is compliant with the SIMBIO-SYS Report and Note Layout and Flow [RD.2] and will be archived both on the INAF Open Access repository and the SIMBIO-SYS team Archive.

1.5. Document organization

This document is organized in sections whose topics are listed as follows:

- Section 2 ICO#01 objectives, with a brief description of the performance and inter-channel tests executed.
- Section 3 ICO#01 implementation, with a brief description of the Flight Operation Procedures (FOPs) and Payload Direct Operation Requests (PDORs) used to perform the required tests and a discussion on the obtained results. More details are reported in each channel report ([RD.3], [RD.4] and [RD.5]).

SIM3	Document	BC-SIM-TR-015 SIMBIO-SYS ICO#01 Test Repor		-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			7 of 15

2. ICO#01 Objective

The scope of the SIMBIO-SYS ICO#01 was to verify the health status of the instrument at channel level 6 months after launch. To do this, two kinds of tests were defined (see [RD.1] for details):

- 1. **Functional Tests**, to verify the functionality of all the SIMBIO-SYS units (i.e., ME, HRIC, STC, and VIHI) and their components (e.g., TECs, Detectors, etc.).
- 2. **Performance Tests**, to monitor the evolution of the performance of all the SIMBIO-SYS channels (i.e., HRIC, STC, and VIHI) with respect to the results obtained during the on-ground calibration campaign and the tests performed during the Near Earth Commissioning Phase (NECP).

SIM3	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			8 of 15

3. Test Implementation

The SIMBIO-SYS ICO#01 tests have been executed June 7th 2019. In this document, after a brief introduction on the foreseen tests, their results are summarized evidencing eventual issues, more deeply discussed in referenced Technical Notes ([RD.3], [RD.4] and [RD.5]).

All tests described in the following sections have been executed by means of proper FOPs, On-Board Control Procedures (OBCPs), and PDORs whose description can be found in [RD.1]. All the tests represent the first inflight validation of the new version of SIBIOSYS FOPs (detailed in [RD.6]).

SIM310-SYS	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			9 of 15

3.1. SIMBIO-SYS Functional Tests

3.1.1. HRIC Functional Test

3.1.1.1. Scope

The aim of this test is to check the channel functionality and its capability to perform some science acquisitions.

3.1.1.2. Results and discussion

As indicted in the test definition reported in [RD.1], with reference to the issues 1 and 2 raised in NECP and summarized in Section 4.2 of [RD.7] new parameters have been used for the HRIC Thermo-Electric Cooler (TEC) activation according to the study described in [RD.8]. However, the new gentle activation, **differently from what expected**, produced a non-nominal oscillation in the current profile whose effects can be noted also in the FPA temperature profile. Apart from this issue, the test **continued with no other issues**. More details on the test results can be found in [RD.3].

SIM3	Document BC-SIM-TF SIMBIO-SYS ICO#01 Test R		-TR-015 t Report	
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			10 of 15

3.1.2. STC Functional Test

3.1.2.1. Scope

The aim of this test is to check the functionality of the channel units and the capability to perform some science acquisitions.

3.1.2.2. Results and discussion

As per the HRIC Functional Test, the **STC TEC activation encountered a problem with the used parameters** with a non-nominal oscillation in the current.

It should be underlined that STC Functional test (for more details see Sections 4.2 end 6 of [RD.4]) confirmed the ME TC granularity highlighted by dNECP phase (defined as Issue-3 in System Level report [RD.9] and highlighted in [RD.10])

Apart from these two issues, the test **continued with no other errors**. More details on the test results can be found in [RD.4].

SIM310-SYS	Document	SIMBIO-SYS IC	BC-SIM CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			11 of 15

3.2. SIMBIO-SYS Performance Tests

3.2.1. HRIC Performance Test

3.2.1.1. Scope

The aim of this test is to perform several science acquisitions to evaluate the channel Dark Current (DC) performance after 6 months from launch.

3.2.1.2. Results and discussion

The test was executed **with no errors**. The obtained data, once reduced by the scientific team, demonstrate the channel performances are in line with what expected because aligned with the one obtained during the on-ground calibration campaign and after the tests executed during NECP. More details on the test results can be found in [RD.3].

SIM3	Document	SIMBIO-SYS IC	BC-SIM- CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			12 of 15

3.2.2. STC Performance Test

3.2.2.1. Scope

The aim of this test is to perform several science acquisitions to evaluate the channel DC performance after 6 months from launch.

3.2.2.2. Results and discussion

As per the HRIC channel the test was executed **with no errors** and the obtained data demonstrate the channel performances are in line with what expected. More details on the test results can be found in [RD.4].

SIM3	Document	BC-SIM-TR-0 SIMBIO-SYS ICO#01 Test Repo		-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			13 of 15

3.2.3. VIHI Internal Calibration

3.2.3.1. Scope

The scope of this test was to perform a VIHI internal calibration using the LED shall with its nominal current and to verify the shutter operability with reference to the issue 4 raised in NECP and summarized in Section 4.2 of [RD.7].

This specific test also covers the functional verification of the channel.

3.2.3.2. Results and discussion

The test was executed **with no errors**. As per both cameras, the obtained VIHI data demonstrate the channel performances are in line with what expected. More details on the test results can be found [RD.5].

SIM3	Document	BC-SIM-TR-01 SIMBIO-SYS ICO#01 Test Repo		-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			14 of 15

4. Conclusions

4.1. Summary

During the SIMBIO-SYS ICO#01, some tests have been executed to evaluate the instrument's health status and the evolution of its performance after 6 months from launch. With these tests, all the units (i.e., ME, HRIC, STC, and VIHI) have operated nominally, allowing us to check their operativity and performance. The obtained results demonstrate that all SIMBIO-SYS units and subsystems work nominally, and the new FOP package provided is in line with the requirements.

Finally, during the ICO#01, it has been possible to validate some improvements in Ground Segment Equipment (GSE) and the data analysis tools developed by the team. Some issues raised on the telemetry downloaded from the ESA repository and related to the duplication of the diagnostic HK and the order of some Science packets (see [RD.11] for details).

4.2. Open issues

During the execution of the ICO#01 tests, the following issues raised:

#	Name	Description	Occurrence	Connected ARs
1	TEC-INIT	Non-nominal built-in TEC activation parameters	HRIC and STC Functional Test	-
2	ME-GRANULARITY	Variation in the ME TC granularity	STC Functional Test	BC_SC-75

As indicated in the above table, some issues are associated to the Anomaly Reports [RD.12]. The status of the issues at the end of ICO#01 phase is reported in following table:

#	Name	Status at the end of the NECP
1	TEC-INIT	Open : the used TEC parameters derived from a new study of the Prime but seems to not be the right one to be used in Cruise phase. A new study it is necessary also considering the S/C thermal environment around the instrument. The parameters must be uploaded before the TEC activation pending the update of the ME ASW where these parameters are fixed.

SIM3	BYS Document BC SIMBIO-SYS ICO#0		BC-SIM CO#01 Tes	-TR-015 t Report
	Date		11/	10/2021
	Issue	1	Revision	0
	Page			15 of 15
	•			

2	ME-GRANULARITY	Open : it has been found that the ME granularity managing TC
		execution could be modified by the Repetition Time (RT)
		parameter of a Science TC determining that some TC can be
		accepted but not executed.