



Publication Year	2015
Acceptance in OA @INAF	2024-06-26T10:09:34Z
Title	Metis EM Detector Assemblies Short Functional Test Procedure and Report
Authors	NICOLINI, Gianalfredo; USLENGHI, MICHELA
Handle	http://hdl.handle.net/20.500.12386/35254
Number	METIS-OATO-RPT-009

**METIS INSTRUMENT
for the
Solar Orbiter Mission**

**Test Report
EM Detector Assemblies Short Functional Test Procedure and Report**

Principal Investigator:

Ester Antonucci
INAF – Astrophysical Observatory of Turin, Torino, Italy

and the METIS Consortium:

CNR - Institute for Photonics and Nanotechnology, Padova, Italy
CNRS – IAS, France
INAF – IASF, IFSI, OACN, OACt, OAPa, OATo, OATs, Italy
Institute of Astronomy- Czech Academy of Science, Czech Republic
Laboratoire d’Astrophysique de Marseille, France,
Max-Plank-Institute für Sonnensystemforschung, Germany
Naval Research Laboratory, USA
Politecnico of Torino, Italy
Universities of Firenze, Padova, Pavia, Italy
University of Athens, Greece

prepared by G. Nicolini,
M. Uslenghi

Book captain: G. Nicolini

approved by G. Naletto – Experiment Manager
reference METIS-OATO-RPT-009
issue 1
revision 01
date of issue 06-FEB-2015

Page intentionally left blank

Distribution

Name	Organisation
Marco Castronuovo	ASI – Agenzia Spaziale Italiana Viale Liegi, 26 - 00198 Roma - ITALY
Alessandro Gabrielli	ASI – Agenzia Spaziale Italiana Viale Liegi, 26 - 00198 Roma – ITALY
Luca Teriaca	Max-Plank-Institute für Sonnensystemforschung, Goettingen - Germany
Danilo Morea	Compagnia Generale per lo Spazio Milano – ITALY
Stefano Cesare	Thales Alenia Space Italy Torino - ITALY

Change Log

date	issue	revision	Paragraphs	reason for change
23/10/2014	1	0	All	First Issue
6/02/2015	1	1	All	To be consider as fist issue. The previous Issue 1.0 was released using erroneously an intermediate draft.

Table of Contents

1	INTRODUCTION.....	6
1.1	Scope of the document	6
1.2	Description of the activities.....	6
1.3	VLDA+CPC Test Description.....	7
1.4	UVDA+CPC Test Description.....	7
1.5	HVU Test Description.....	7
2	VISUAL INSPECTION	8
3	TEST PREPARATION AND SETUP.....	9
3.1	Overview	9
4	TEST EXECUTION	10
4.1	SFT for the VL Detector Assemblies	10
4.2	SFT for the UV Detector Assemblies	20
4.3	SFT for the HVU.....	26
5	ANOMALIES AND NON CONFORMANCES.....	28
6	DOCUMENT REFERENCES	29
6.1	Applicable Documents	29
6.2	Solar Orbiter Specific Applicable Documents	29
7	ACRONYMS	30
	ANNEX 1 – EM UNITS PICTURES.....	32
	ANNEX 2 – ACQUIRED DATA FILES.....	38

LIST OF FIGURES

Figure 1: Overview of the four items under test: HVU (top-left), UVDA (top-right), VLDA (bottom-left) and CPC (bottom-right).....	6
Figure 2: VLDA test pattern (left) and cross-section.....	12
Figure 3: VLDA Image #1 (top) and statistics (bottom).....	15
Figure 4: VLDA Image #2 (top) and statistics (bottom).....	16
Figure 5: VLDA Image #3 (top) and statistics (bottom).....	17
Figure 6: VLDA Image #4 (top) and statistics (bottom).....	18
Figure 7: VLDA temporal noise pattern (top) and statistics (bottom).....	19
Figure 8: UVD Image (top) and statistics (bottom) – DIT = 1s.....	22
Figure 9: UVD temporal noise pattern (top) and statistics (bottom).....	25

1 Introduction

1.1 Scope of the document

This document describes the Short Functional Test (SFT) for the METIS EM Detector Assemblies and, at the same time, reports and discuss the test results.

1.2 Description of the activities

The SFT of the EM models of the METIS detection subsystem has the goal to verify that the METIS Detector subsystem is working and communicating, without assessing the performances.

The procedure detailed in this document, and therefore the pass/nopass criteria, has been defined in order to be easily repeatable and to require a simple data analysis.

The four items under test are:

- VLDA EM
- UVDA EM (without intensifier, only STAR-1000 APS)
- CPC EM
- HVU EM




Figure 1: Overview of the four items under test: HVU (top-left), UVDA (top-right), VLDA (bottom-left) and CPC (bottom-right)

The test has been executed using a dedicated EGSE that simulate the MPPU functionalities (TM/TC and power distribution).

Due to the intrinsic limitation of the EGSE provided by MPS, the functional verification has been splinted in three distinct test runs as described below:

- VLDA + CPC for the functional verification of the VL channel;
- UVDA + CPC for the functional verification of the UV channel;
- HVU alone