



Publication Year	2022
Acceptance in OA	2023-07-17T12:53:08Z
Title	Juno Jiram Report jm0400
Authors	NOSCHESE, RAFFAELLA, BECKER , HEIDI, SORDINI, Roberto, CICHETTI, ANDREA
Handle	http://hdl.handle.net/20.500.12386/34286
Volume	JIR-IAPS-SY-006-2022



Juno JIRAM

Report JM0400

JIR-IAPS-SY-006-2022

Version 1.0

July 12, 2022

Prepared by:

R. Noschese, H. N. Becker, R. Sordini, A. Cicchetti

Approved by:

A. Adriani and A. Mura

		JIR-IAPS-SY-006-2022		
		Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	2

Table of Contents

1	INTRODUCTION	3
2	REFERENCES	3
3	ACTIVITY DESCRIPTION	3
4	RADIATION SEQUENCES	6
5	SCIENTIFIC GOALS	6
6	DATA COLLECTION OVERVIEW	9
	A.1 Commanding file (SASF)	14

List of Figures

Figure 1:	Simulation with JSPT (JIRAM Software Planning Tool), coverage of the South Pole with filter M. The overlapping yellow strips represent the predicted FOVs.	4
Figure 2:	Simulation with JSPT. Coverage of the South Pole with filter L, the magenta line represents the theoretical position of the main auroral oval.	5
Figure 3:	Atmospheric Mapping: Hot Spots - Imager filter M.	6

List of Tables

Table 1:	Scientific Goals	9
Table 2:	Data Overview	13

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	3	of

1 INTRODUCTION

This document describes the activities that JIRAM performed during the activity period JM0400 (PJ040), with particular attention to the comparison between the expected and returned data, keeping track of the instrument configuration with the commanding file (SASF).

2 REFERENCES

Adriani A., M.L. Moriconi, A. Mura, F. Tosi, G. Sindoni, R. Noschese, A. Cicchetti, G. Filacchione (2016), Juno's Earth flyby: the Jovian infrared Auroral Mapper preliminary results, 2016. *Astrophys. Space Sci.* <https://doi.org/10.1007/s10509-016-2842-9>

Adriani, A., Filacchione, G., Di Iorio, T., Turrini, D., Noschese, R., Cicchetti, A., Grassi, D., Mura, A., Sindoni, G., Zambelli, M., Piccioni, G., Capria, M. T., Tosi, F., Orosei, R., Dinelli, B. M., Moriconi, M. L., Roncon, E., Lunine, J. I., Becker, H. N., Bini, A., Barbis, A., Calamai, L., Pasqui, C., Nencioni, S., Rossi, M., Lastrì, M., Formaro, R., Olivieri, A., 2017. JIRAM, the Jovian Infrared Auroral Mapper. *Space Sci. Rev.* 213, 1–4, pp 393-446. <https://doi.org/10.1007/s11214-014-0094-y>.

Becker, H.N., Alexander, J.W., Adriani, A., Mura, A., Cicchetti, A., Noschese, R., Jørgensen, J.L., Denver, T., Sushkova, J., Jørgensen, A., Benn, M., Connerney, J.E.P., Bolton, S.J., the Selex Galileo Juno SRU Team, Allison, J., Watts, S., Adumitroaie, V., Manor-Chapman, E.A., Daubar, I.J., Lee, C., Kang, S., McAlpine, W.J., Di Iorio, T., Pasqui, C., Barbis, A., Lawton, P., Spalsbury, L., Loftin, S., Sun, J., 2017. The Juno Radiation Monitoring (RM) Investigation. *Space Sci. Rev.* 213, 1-4, pp 507-545. <https://10.1007/s11214-017-0345-9>.

R. Noschese, A. Cicchetti, R. Sordini, M. Cartacci, S. Brooks, M. Lastrì, A. Adriani, A. Mura, G. Filacchione, H. Becker, A. Bini, C. Pasqui, A. Migliorini, M.L. Moriconi, D. Grassi, F. Altieri, B.M. Dinelli, G. Piccioni, F. Tosi, D. Turrini, G. Sindoni, A. Olivieri, C. Plainaki. Juno/JIRAM: planning and commanding activities. *Adv. Space Res.* (2019) <https://doi.org/10.1016/j.asr.2019.09.052>

3 ACTIVITY DESCRIPTION

During the PJ040 pass, JIRAM performed Satellites' Footprints observations, on both North and South Pole; observations of the cyclones of the South Pole (see fig. 1 and fig. 2) and of the planet's limbs. In addition JIRAM achieved observations of the Jupiter's moons Europa and IO (not reported in the figures). Note that there is a spectral observation corresponding to each observation taken with the imager. Details about imager/spectrometer coupling and more in general about the instrument and its performance can be found in Adriani et al. (2017), Noschese et al. (2019).

Due to an uncertainty in the actual pointing of the JIRAM frame (which is affected by the position of the despinning mirror at the time of the observation), the JIRAM team found that the precision of the reconstruction of the geometry of both IMG and SPE pixels should be revised by a value of no less than 0.1 degrees. We want to underline that this issue was only discovered during JM0131, when we started to do systematic limb observations near perijove (PJ) and we could compare the

calculated position of the planet’s limb, using the reconstructed kernels, with respect to its actual position in the image we collected with our instrument.




Figure 1: Simulation with JSPT (JIRAM Software Planning Tool), coverage of the South Pole with filter M. The overlapping yellow strips represent the predicted FOVs.




Figure 2: Simulation with JSPT. Coverage of the South Pole with filter L, the magenta line represents the theoretical position of the main auroral oval.




Figure 3: Atmospheric Mapping: Hot Spots - Imager filter M.

4 RADIATION SEQUENCES

Radiation sequences were collected in locations of low particle flux in order to update the mapping of good pixel locations to be used in subsequent radiation data processing. Radiation sequences targeting observations of the radiation environment were performed in the middle magnetosphere and the inner magnetosphere.

5 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operational mode and the scientific objectives. The files relating to the various science blocks are shown in the file “JIR_STATUS_EDR_2022055T062650_V01.CSV” in the INDEX directory.



JRM (sarf)	Operational Mode	Goals
JRM_004	CAL_I1_S1	INTERNAL CALIBRATION
JRM_005	SCI_I1_S1	RADIATION
JRM_006	SCI_I1_S1	RADIATION
JRM_007	SCI_I1_S1	RADIATION
JRM_008	SCI_I1_S1	RADIATION
JRM_009	SCI_I1_S1	RADIATION
JRM_010	SCI_I1_S1	RADIATION
JRM_011	SCI_I1_S1	RADIATION
JRM_012	SCI_I1_S1	RADIATION
JRM_013	SCI_I1_S1	RADIATION
JRM_014	CAL_I1_S1	INTERNAL CALIBRATION
JRM_018	CAL_I1_S1	INTERNAL CALIBRATION
JRM_019	SCI_I1_S1	IO
JRM_020	SCI_I1_S1	IO
JRM_021	SCI_I1_S1	IO
JRM_022	SCI_I1_S1	IO
JRM_023	SCI_I1_S1	IO
JRM_024	SCI_I1_S1	IO
JRM_025	SCI_I1_S1	IO
JRM_026	SCI_I1_S1	IO
JRM_027	SCI_I1_S1	IO
JRM_028	SCI_I1_S1	IO
JRM_029	SCI_I1_S1	IO
JRM_030	SCI_I1_S1	IO
JRM_031	SCI_I1_S1	IO
JRM_032	SCI_I1_S1	IO
JRM_033	SCI_I1_S1	IO
JRM_034	SCI_I1_S1	IO
JRM_036	SCI_I1_S1	RADIATION
JRM_037	SCI_I1_S1	RADIATION
JRM_038	SCI_I1_S1	RADIATION+CALIBRATION
JRM_039	SCI_I1_S1	RADIATION
JRM_040	SCI_I1_S1	EUROPA
JRM_042	SCI_I1_S1	RADIATION+CALIBRATION
JRM_043	SCI_I1_S1	RADIATION
JRM_044	SCI_I1_S1	RADIATION+CALIBRATION
JRM_045	SCI_I1_S1	RADIATION
JRM_046	SCI_I1_S1	RADIATION+CALIBRATION
JRM_047	SCI_I1_S1	RADIATION
JRM_048	SCI_I1_S1	RADIATION+CALIBRATION
JRM_049	SCI_I1_S1	RADIATION
JRM_050	SCI_I1_S1	RADIATION+CALIBRATION
JRM_051	SCI_I1_S1	RADIATION
JRM_052	SCI_I1_S1	RADIATION+CALIBRATION
JRM_053	SCI_I1_S1	ATMOSPHERE
JRM_054	SCI_I1_S1	ATMOSPHERE
JRM_055	SCI_I1_S1	ATMOSPHERE



JRM_056	SCI_I1_S1	ATMOSPHERE
JRM_057	SCI_I1_S1	ATMOSPHERE
JRM_058	SCI_I1_S1	ATMOSPHERE
JRM_059	SCI_I1_S1	ATMOSPHERE
JRM_060	SCI_I1_S1	ATMOSPHERE
JRM_061	SCI_I1_S1	ATMOSPHERE
JRM_062	SCI_I1_S1	ATMOSPHERE
JRM_063	SCI_I1_S1	ATMOSPHERE
JRM_064	SCI_I1_S1	ATMOSPHERE
JRM_065	SCI_I1_S1	ATMOSPHERE
JRM_066	SCI_I1_S1	ATMOSPHERE
JRM_067	SCI_I1_S1	ATMOSPHERE
JRM_068	SCI_I1_S1	ATMOSPHERE
JRM_069	SCI_I1_S1	ATMOSPHERE
JRM_070	SCI_I1_S1	ATMOSPHERE
JRM_071	SCI_I1_S1	NORTH POLE
JRM_072	SCI_I1_S1	NORTH POLE
JRM_073	SCI_I1_S1	NORTH POLE
JRM_074	SCI_I1_S1	NORTH POLE
JRM_075	SCI_I1_S1	NORTH POLE
JRM_076	SCI_I3_S1	IO FOOTPRINT
JRM_077	SCI_I1_S1	LIMB UP
JRM_078	SCI_I1_S1	LIMB UP
JRM_079	SCI_I1_S1	LIMB UP
JRM_081	SCI_I1_S1	RADIATION
JRM_082	SCI_I1_S1	RADIATION+CALIBRATION
JRM_083	SCI_I1_S1	RADIATION+CALIBRATION
JRM_084	SCI_I1_S1	RADIATION
JRM_085	SCI_I1_S1	LIMB DOWN
JRM_086	SCI_I1_S1	LIMB DOWN
JRM_087	SCI_I1_S1	LIMB DOWN
JRM_088	SCI_I1_S1	LIMB DOWN
JRM_089	SCI_I3_S1	GANYMEDE FOOTPRINT
JRM_090	SCI_I3_S1	GANYMEDE FOOTPRINT
JRM_091	SCI_I3_S1	IO FOOTPRINT
JRM_092	SCI_I1_S1	SOUTH POLE
JRM_093	SCI_I3_S1	SOUTH AURORA
JRM_094	SCI_I1_S1	SOUTH POLE
JRM_095	SCI_I3_S1	SOUTH AURORA
JRM_096	SCI_I1_S1	SOUTH POLE
JRM_097	SCI_I3_S1	SOUTH AURORA
JRM_098	SCI_I1_S1	ATMOSPHERE
JRM_099	SCI_I1_S1	ATMOSPHERE
JRM_100	SCI_I1_S1	ATMOSPHERE
JRM_101	SCI_I1_S1	ATMOSPHERE
JRM_102	SCI_I1_S1	ATMOSPHERE
JRM_103	SCI_I1_S1	ATMOSPHERE

JRM_104	SCI_I1_S1	ATMOSPHERE
JRM_105	SCI_I1_S1	ATMOSPHERE
JRM_106	SCI_I1_S1	ATMOSPHERE
JRM_107	SCI_I1_S1	ATMOSPHERE
JRM_108	SCI_I1_S1	ATMOSPHERE
JRM_109	SCI_I1_S1	ATMOSPHERE
JRM_110	SCI_I1_S1	ATMOSPHERE
JRM_111	CAL_I1_S1	INTERNAL CALIBRATION

Table 1: Scientific Goals

6 DATA COLLECTION OVERVIEW

Below is a table that gives an overview of the data collected during the activity period JM0400. The table describes, for each science block in the commanding file, the programmed operational modes and the data actually collected.

JRM (sarf)	Operational Mode	Observations	Packets Retrieved	Packets Expected	Missing Observations SPE	Missing Observations IMG
JRM_004	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_005	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_006	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_007	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_008	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_009	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_010	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_011	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_012	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_013	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_014	CAL_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_018	CAL_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_019	SCI_I1_S1	15 IMG 15 SPE	180	180	0	0
JRM_020	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0



JRM_021	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_022	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_023	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_024	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_025	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_026	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_027	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_028	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_029	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_030	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_031	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_032	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_033	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_034	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_036	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_037	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_038	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_039	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_040	SCI_I1_S1	15 IMG 15 SPE	180	180	0	0
JRM_042	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_043	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_044	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_045	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_046	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_047	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_048	SCI_I1_S1	3 IMG 3 SPE	36	36	1	1
JRM_049	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_050	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0



JUNO/JIRAM

JRM_051	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_052	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_053	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_054	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_055	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_056	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_057	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_058	SCI_I1_S1	8 IMG 8 SPE	96	96	0	0
JRM_059	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_060	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_061	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_062	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_063	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_064	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_065	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_066	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_067	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_068	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_069	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_070	SCI_I1_S1	4 IMG 4 SPE	48	48	0	0
JRM_071	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_072	SCI_I1_S1	5 IMG 5 SPE	60	60	0	0
JRM_073	SCI_I1_S1	5 IMG 5 SPE	60	60	0	0
JRM_074	SCI_I1_S1	5 IMG 5 SPE	60	60	0	0
JRM_075	SCI_I1_S1	5 IMG 5 SPE	60	60	0	0
JRM_076	SCI_I3_S1	12 IMG 12 SPE	108	108	0	0
JRM_077	SCI_I1_S1	12 IMG 12 SPE	144	144	0	0
JRM_078	SCI_I1_S1	10 IMG 10 SPE	120	120	0	0



JUNO/JIRAM

JRM_079	SCI_I1_S1	10 IMG 10 SPE	120	120	0	0
JRM_081	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_082	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_083	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_084	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_085	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_086	SCI_I1_S1	16 IMG 16 SPE	192	192	0	0
JRM_087	SCI_I1_S1	16 IMG 16 SPE	192	192	0	0
JRM_088	SCI_I1_S1	11 IMG 11 SPE	132	132	0	0
JRM_089	SCI_I3_S1	10 IMG 10 SPE	90	90	0	0
JRM_090	SCI_I3_S1	8 IMG 8 SPE	72	72	0	0
JRM_091	SCI_I3_S1	13 IMG 13 SPE	117	117	0	0
JRM_092	SCI_I1_S1	9 IMG 9 SPE	108	108	0	0
JRM_093	SCI_I3_S1	16 IMG 16 SPE	144	144	0	0
JRM_094	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_095	SCI_I3_S1	16 IMG 16 SPE	144	144	0	0
JRM_096	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_097	SCI_I3_S1	16 IMG 16 SPE	144	144	0	0
JRM_098	SCI_I1_S1	20 IMG 20 SPE	240	240	0	0
JRM_099	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_100	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_101	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_102	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_103	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_104	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_105	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_106	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_107	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0

JRM_108	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_109	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_110	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_111	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0

Table 2: Data Overview

A.1 Commanding file (SASF)

```

CCSD3ZF0000100000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0400_JRMa.sasf;
APPLICABLE_START_TIME = 2022-055T01:00:00.000;
APPLICABLE_STOP_TIME = 2022-098T15:00:00.000;
PRODUCT_CREATION_TIME = 2022-026T09:44:44.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0400_JRMa;
HOST_ID = JRM_CMD_400_400_V02.jrm;
CCSD3RE000000$$MARK$$NJPL3IF0M013000000001;
$$JNO      SPACECRAFT ACTIVITY SEQUENCE FILE
*****
*PROJECT      JNO
*SPACECRAFT   61
*OPERATOR     JRMTEAM
*FILE_CPLT    TRUE
*DATE         Wed Jan 26 09:44:44 2022
*BEGIN        2022-055T01:00:00.000
*CUTOFF       2022-098T15:00:00.000
*TITLE        jm0400_JRMa
*EPOCHS_DEF
*jm0400_JRM,  2022-055T01:00:00.000
*EPOCHS_END
*Input files used:
*File Type   Last modified           File name
*PACKETS_NUMBER 10919
*****
$$EOH
$$EOD
request(JRM_Sequence_Management_Request,
        START_TIME,2022-055T01:00:00.000,
        TITLE, "JRM MAINTENANCE",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

activity(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        SEQTRAN_directive
        (VML_START,2001-001T00:00:00.000,2030-
001T00:00:00.000,"ABSLTE","jm0400_JRM","jm0400_JRM.abs","d:/seq")
        ),
        command(2,
        SCHEDULED_TIME,\00:00:30\,FROM_PREVIOUS_START,
        FILE_DELETE("d:/seq/jm0400_JRM.abs")
        ),
        command(3,
        SCHEDULED_TIME,\043T13:59:58\,FROM_REQUEST_START,
        VM_LOAD(20,"d:/seq/jm0410_JRM.abs")
        ),
        end;

request(JRM_001,
        START_TIME,2022-055T01:02:04.000,
        TITLE, "jm0400_JRM_Heater_Op",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
        command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
        ),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	15

```

command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BE","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_002,
    START_TIME,2022-055T06:23:04.000,
    TITLE, "jm0400_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_003,
    START_TIME,2022-055T06:25:47.000,
    TITLE, "jm0400_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,2)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
"POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_004,
    START_TIME,2022-055T06:25:59.000,
    TITLE, "jm0400_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	16

```

),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
  SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,"NaN"
),
end;

request(JRM_005,
  START_TIME,2022-055T06:35:15.000,
  TITLE,"jm0400_JRM_Science",
  REQUESTOR,"JRMTEAM",
  PROCESSOR,"VC2",
  KEY,"No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(92,153)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(5,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(6,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(8,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(9,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(11,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	17	of 84

```

JRM_SCIENCE ()
),
command(12,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC ()
),
command(13,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SET_PAR(92,8174)
),
command(14,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG ()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Radiation_Sequence_40_001_GoodPxMap_2022-055T06:35:15.000\"
),
end;

request (JRM_006,
  START_TIME,2022-055T06:40:15.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")

command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(92,153)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC ()
),
command(5,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE ()
),
command(6,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(8,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE ()
),
command(9,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(11,

```

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_40_002_GoodPxMap_2022-055T06:40:15.000\"
    ),
end;

request(JRM_007,
    START_TIME,2022-055T06:45:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	19	of 84

```

command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_003_GoodPxMap_2022-055T06:45:15.000\"
),
end;

request(JRM_008,
    START_TIME,2022-055T06:50:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
)

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	20

```

),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_004_GoodPxMap_2022-055T06:50:15.000\"
),
end;

request(JRM_009,
    START_TIME,2022-055T06:55:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	21

```

        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_40_005_GoodPxMap_2022-055T06:55:15.000\"
    ),
end;

request(JRM_010,
    START_TIME,2022-055T07:00:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(10,

```



JUNO/JIRAM

```
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_40_006_GoodPxMap_2022-055T07:00:15.000\"
    ),
end;

request(JRM_011,
    START_TIME,2022-055T07:05:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	23

```

command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_007_GoodPxMap_2022-055T07:05:15.000\"
),
end;

request(JRM_012,
    START_TIME,2022-055T07:10:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	24	of 84

```

),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_008_GoodPxMap_2022-055T07:10:15.000\"
),
end;

request(JRM_013,
    START_TIME,2022-055T07:15:15.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\",
    ,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\",
    ,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	25

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Radiation_Sequence_40_009_GoodPxMap_2022-055T07:15:15.000\"
),
end;

request(JRM_014,
START_TIME,2022-055T07:19:29.000,
TITLE, "jm0400_JRM_Calibration",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"NaN\"
),
end;

request(JRM_015,
START_TIME,2022-055T07:23:49.000,
TITLE, "jm0400_JRM-POWER_OFF",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	26

```

        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_016,
    START_TIME,2022-055T13:51:09.000,
    TITLE, "jm0400_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_017,
    START_TIME,2022-055T13:53:52.000,
    TITLE, "jm0400_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
", "POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_018,
    START_TIME,2022-055T13:54:04.000,
    TITLE, "jm0400_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	27

```

command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_019,
    START_TIME,2022-055T13:58:24.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2375)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",15,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,9,250,5000,"LOW","LOW",
    ,"POINT",-57343,250,5000,"LOW","LOW","SPIN",-285,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:08:18\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Io\"
),
end;

request(JRM_020,
    START_TIME,2022-055T14:07:03.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2375)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
    ,"POINT",-57343,250,5000,"LOW","LOW","SPIN",-279,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	28

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"
    ),
end;

request(JRM_021,
    START_TIME,2022-055T14:14:40.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2375)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
        "POINT",-57343,250,5000,"LOW","LOW","SPIN",-275,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"
    ),
end;

request(JRM_022,
    START_TIME,2022-055T14:22:18.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2375)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
        "POINT",-57343,250,5000,"LOW","LOW","SPIN",-272,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	29

```

        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(5,
        SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "Io" \
    ),
end;

request (JRM_023,
    START_TIME,2022-055T14:29:55.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2375)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-270,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(5,
        SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "Io" \
    ),
end;

request (JRM_024,
    START_TIME,2022-055T14:37:33.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2375)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-268,"NO_SUMMED_SCI")

```

			JIR-IAPS-SY-006-2022		
	JUNO/JIRAM		Issue	1.0	12/07/2022
			Page	30	of 84

```

),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Io\"
),
end;

request(JRM_025,
  START_TIME,2022-055T14:45:10.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2375)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
  "POINT",-57343,250,5000,"LOW","LOW","SPIN",-268,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Io\"
),
end;

request(JRM_026,
  START_TIME,2022-055T14:52:48.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2375)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	31

```

JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-268,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Io\"\\
),
end;

request(JRM_027,
START_TIME,2022-055T15:00:25.000,
TITLE, "jm0400_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2375)
),
command(2,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-270,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Io\"\\
),
end;

request(JRM_028,
START_TIME,2022-055T15:08:03.000,
TITLE, "jm0400_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2375)

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	32

```

),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-273,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Io"
),
end;

request(JRM_029,
    START_TIME,2022-055T15:15:40.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2375)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-276,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Io"
),
end;

request(JRM_030,
    START_TIME,2022-055T15:23:18.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	33

```

command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2375)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
  "POINT",-57343,250,5000,"LOW","LOW","SPIN",-281,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\\"Io\"\\
),
end;

request(JRM_031,
  START_TIME,2022-055T15:30:55.000,
  TITLE,"jm0400_JRM_Science",
  REQUESTOR,"JRMTEAM",
  PROCESSOR,"VC2",
  KEY,"No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2375)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
  "POINT",-57343,250,5000,"LOW","LOW","SPIN",-287,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\\"Io\"\\
),
end;

request(JRM_032,
  START_TIME,2022-055T15:38:33.000,
  TITLE,"jm0400_JRM_Science",

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	34

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2375)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,11,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-294,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,"Io"
),
end;

request(JRM_033,
  START_TIME,2022-055T15:46:11.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2375)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,10,250,5000,"LOW","LOW",
", "POINT",-57343,250,5000,"LOW","LOW","SPIN",-302,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,"Io"
),
end;

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	35

```

request (JRM_034,
        START_TIME,2022-055T15:53:48.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2375)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",9,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,15,250,5000,"LOW","LOW"
,"POINT",-57343,250,5000,"LOW","LOW","SPIN",-307,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:05:15\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"
    ),
end;

request (JRM_035,
        START_TIME,2022-055T15:59:15.000,
        TITLE, "jm0400_Technical_Block",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Imager Delay Set to Zero\"
    ),
end;

request (JRM_036,
        START_TIME,2022-055T16:28:15.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	36	of 84

```

),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_010_NearEuropa_2022-055T16:28:15.000\"
),
end;

request(JRM_037,
    START_TIME,2022-055T16:58:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	37	of 84

```

        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
        ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
        ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_40_011_NearEuropa_2022-055T16:58:15.000\"
    ),
end;

request(JRM_038,
    START_TIME,2022-055T17:28:15.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
        ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	38	of 84

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"RAD+CAL\"
    ),
end;

request(JRM_039,
    START_TIME,2022-055T17:58:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	39

```

command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_012_NearEuropa_2022-055T17:58:15.000\"
),
end;

request(JRM_040,
    START_TIME,2022-055T18:17:40.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,1750)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",15,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,263,1500,5000,"LOW","L
OW","POINT",-57343,1500,5000,"LOW","LOW","SPIN",25127,"NO_SUMMED_SCI")

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	40

```

),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:08:18\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Europa\"
),
end;

request(JRM_041,
  START_TIME,2022-055T18:26:10.000,
  TITLE, "jm0400_Technical_Block",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,0)
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Imager Delay Set to Zero\"
),
end;

request(JRM_042,
  START_TIME,2022-055T18:28:15.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(92,153)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(5,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(6,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	41

```

command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"RAD+CAL\"
),
end;

request(JRM_043,
    START_TIME,2022-055T18:58:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
)

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	42

```

),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_013_NearEuropa_2022-055T18:58:15.000\"
),
end;

request(JRM_044,
    START_TIME,2022-055T19:28:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	43

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(9,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"RAD+CAL\"
),
),
end;

request(JRM_045,
START_TIME,2022-055T19:58:15.000,
TITLE,"jm0400_JRM_Science",
REQUESTOR,"JRMTEAM",
PROCESSOR,"VC2",
KEY,"No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
),
command(6,

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	44	of 84

```

SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(9,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Radiation_Sequence_40_014_NearEuropa_2022-055T19:58:15.000\"
),
end;
request(JRM_046,
START_TIME,2022-055T20:28:15.000,
TITLE,"jm0400_JRM_Science",
REQUESTOR,"JRMTEAM",
PROCESSOR,"VC2",
KEY,"No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	45	of 84

```

command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"RAD+CAL\"
    ),
end;

request(JRM_047,
    START_TIME,2022-055T20:58:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	46	of 84

```

),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_40_015_NearIo_2022-055T20:58:15.000\"
),
end;

request(JRM_048,
    START_TIME,2022-055T21:28:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	47

```

        JRM_SCIENCE ()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"RAD+CAL\"
    ),
end;

request(JRM_049,
    START_TIME,2022-055T21:58:15.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(5,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	48

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_40_016_NearIo_2022-055T21:58:15.000\"
    ),
end;

request(JRM_050,
    START_TIME,2022-055T22:28:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC ()
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	49

```

command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"RAD+CAL\"
),
end;

request(JRM_051,
    START_TIME,2022-055T22:58:15.000,
    TITLE,"jm0400_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
)

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	50	of 84

```

),
command(5,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(6,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(8,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(9,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(11,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(12,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
command(13,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SET_PAR(92,8174)
),
command(14,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Radiation_Sequence_40_017_Approach_2022-055T22:58:15.000\"
),
end;

request(JRM_052,
  START_TIME,2022-055T23:28:15.000,
  TITLE,"jm0400_JRM_Science",
  REQUESTOR,"JRMTEAM",
  PROCESSOR,"VC2",
  KEY,"No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(92,153)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	51

```

        JRM_START_HS_REC ()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"RAD+CAL\"
    ),
end;

request(JRM_053,
    START_TIME,2022-056T00:00:50.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,588,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1888,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	52

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request(JRM_054,
    START_TIME,2022-056T00:05:55.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR(\"SCI_I1_S1\",6,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,823,75,5000,\"LOW\",\"LOW\",
        \"POINT\",-57343,75,5000,\"LOW\",\"LOW\",\"SPIN\",-1550,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request(JRM_055,
    START_TIME,2022-056T00:09:59.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR(\"SCI_I1_S1\",6,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,823,75,5000,\"LOW\",\"LOW\",
        \"POINT\",-57343,75,5000,\"LOW\",\"LOW\",\"SPIN\",-1884,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	53

```

        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request (JRM_056,
    START_TIME,2022-056T00:14:03.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,823,75,5000,"LOW","LOW",
        ,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1546,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request (JRM_057,
    START_TIME,2022-056T00:18:07.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,823,75,5000,"LOW","LOW",
        ,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1879,"NO_SUMMED_SCI")
    ),
end;

```

			JIR-IAPS-SY-006-2022		
	JUNO/JIRAM		Issue	1.0	12/07/2022
			Page	54	of 84

```

),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

request(JRM_058,
  START_TIME,2022-056T00:22:11.000,
  TITLE,\"jm0400_JRM_Science\",
  REQUESTOR,\"JRMTEAM\",
  PROCESSOR,\"VC2\",
  KEY,\"No_Key\")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR(\"SCI_I1_S1\",6,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,823,75,5000,\"LOW\",\"LOW\",
  \"POINT\",-57343,75,5000,\"LOW\",\"LOW\",\"SPIN\",-1541,\"NO_SUMMED_SCI\")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

request(JRM_059,
  START_TIME,2022-056T00:26:15.000,
  TITLE,\"jm0400_JRM_Science\",
  REQUESTOR,\"JRMTEAM\",
  PROCESSOR,\"VC2\",
  KEY,\"No_Key\")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	55

```

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,823,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1874,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Atmosphere\"
),
end;

request(JRM_060,
START_TIME,2022-056T00:30:20.000,
TITLE, "jm0400_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2465)
),
command(2,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,823,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1534,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Atmosphere\"
),
end;

request(JRM_061,
START_TIME,2022-056T00:34:24.000,
TITLE, "jm0400_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2465)

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	56

```

),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,823,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1867,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_062,
    START_TIME,2022-056T00:38:28.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1529,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_063,
    START_TIME,2022-056T00:42:32.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	57	of 84

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1861,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request(JRM_064,
    START_TIME,2022-056T00:46:36.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1520,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request(JRM_065,
    START_TIME,2022-056T00:50:40.000,
    TITLE, "jm0400_JRM_Science",

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	58	of 84

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1850,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

request(JRM_066,
  START_TIME,2022-056T00:54:44.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1507,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	59

```

request (JRM_067,
        START_TIME,2022-056T00:58:49.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1836,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    ),
end;

request (JRM_068,
        START_TIME,2022-056T01:02:53.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,824,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1491,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
    )

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	60

```

),
end;

request (JRM_069,
        START_TIME,2022-056T01:06:57.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,834,75,5000,"LOW","LOW",
        ,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1820,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:03:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"
),
end;

request (JRM_070,
        START_TIME,2022-056T01:11:01.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",4,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,1358,75,5000,"LOW","LOW",
        ,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1419,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:02:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	61

```

note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

request(JRM_071,
  START_TIME,2022-056T01:14:04.000,
  TITLE,\"jm0400_JRM_Science\",
  REQUESTOR,\"JRMTEAM\",
  PROCESSOR,\"VC2\",
  KEY,\"No_Key\")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR(\"SCI_I1_S1\",7,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,533,75,5000,\"LOW\",\"LOW\",
,\"POINT\",-57343,75,5000,\"LOW\",\"LOW\",\"SPIN\",-8014,\"NO_SUMMED_SCI\")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:04:15\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"North Pole\"
),
end;

request(JRM_072,
  START_TIME,2022-056T01:18:39.000,
  TITLE,\"jm0400_JRM_Science\",
  REQUESTOR,\"JRMTEAM\",
  PROCESSOR,\"VC2\",
  KEY,\"No_Key\")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR(\"SCI_I1_S1\",5,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,799,75,5000,\"LOW\",\"LOW\",
,\"POINT\",-57343,75,5000,\"LOW\",\"LOW\",\"SPIN\",-7996,\"NO_SUMMED_SCI\")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:13\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	62

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"North Pole\"
    ),
end;

request(JRM_073,
    START_TIME,2022-056T01:22:13.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",5,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,800,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7982,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:13\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"North Pole\"
    ),
end;

request(JRM_074,
    START_TIME,2022-056T01:25:47.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",5,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,800,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7962,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:13\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	63

```

        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"North Pole\"
    ),
end;

request (JRM_075,
    START_TIME,2022-056T01:29:21.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",5,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,800,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7940,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:13\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"North Pole\"
    ),
end;

request (JRM_076,
    START_TIME,2022-056T01:32:55.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",12,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,192,5000,5000,"LOW","L
OW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-12530,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	64

```

),
command(5,
  SCHEDULED_TIME,\00:06:47\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Io FP\"
),
end;

request(JRM_077,
  START_TIME,2022-056T01:40:03.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,1250)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",12,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,144,2500,5000,"LOW","LOW",
"POINT",-57343,2500,5000,"LOW","LOW","SPIN",16677,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:06:47\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Limb Up\"
),
end;

request(JRM_078,
  START_TIME,2022-056T01:47:11.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,1250)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,188,2500,5000,"LOW","LOW",
"POINT",-57343,2500,5000,"LOW","LOW","SPIN",18363,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	65

```

command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Limb Up\"
),
end;

request(JRM_079,
    START_TIME,2022-056T01:53:18.000,
    TITLE, \"jm0400_JRM_Science\",
    REQUESTOR, \"JRMTEAM\",
    PROCESSOR, \"VC2\",
    KEY, \"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,1250)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",10,1,0,\"IDIS_SDIS\", \"HSSL\", \"ENABLE\", \"DARK\", \"DISABLE\",0,159,2500,5000, \"LOW\", \"LOW\", \"POINT\", -57343,2500,5000, \"LOW\", \"LOW\", \"SPIN\", 20216, \"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:05:47\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Limb Up\"
),
end;

request(JRM_080,
    START_TIME,2022-056T01:59:17.000,
    TITLE, \"jm0400_Technical_Block\",
    REQUESTOR, \"JRMTEAM\",
    PROCESSOR, \"VC2\",
    KEY, \"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Imager Delay Set to Zero\"
),
end;

request(JRM_081,

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	66	of 84

```

START_TIME,2022-056T02:04:09.000,
TITLE, "jm0400_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(92,153)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
  ,-54158,5000,5000,"LOW","LOW","POINT",-25486,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(5,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(6,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
  ,-54158,5000,5000,"LOW","LOW","POINT",-25486,"NO_SUMMED_SCI")
),
command(7,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(8,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(9,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
  ,-54158,5000,5000,"LOW","LOW","POINT",-25486,"NO_SUMMED_SCI")
),
command(10,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(11,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(12,
  SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
command(13,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SET_PAR(92,8174)
),
command(14,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Radiation_Sequence_40_018_MagEq_2022-056T02:04:09.000\"
),
end;

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	67	of 84

```

request (JRM_082,
        START_TIME,2022-056T02:09:09.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
        ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
        ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
        ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
        ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
        ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
        ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
        ),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
        ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"RAD+CAL\"
        ),
end;

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	68	of 84

```

request (JRM_083,
        START_TIME,2022-056T02:14:09.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "RAD+CAL"\
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	69

end;

```

request (JRM_084,
        START_TIME,2022-056T02:19:10.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
        ,-53840,5000,5000,"LOW","LOW","POINT",-25168,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
        ,-53840,5000,5000,"LOW","LOW","POINT",-25168,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
        ,-53840,5000,5000,"LOW","LOW","POINT",-25168,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_40_019_SHiLatLobe_2022-056T02:19:10.000\"\\

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	70

```

),
end;

request (JRM_085,
        START_TIME,2022-056T02:23:55.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1250)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,124,2500,5000,"LOW","LOW",
"POINT",-57343,2500,5000,"LOW","LOW","SPIN",-12896,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Limb Down\"
),
end;

request (JRM_086,
        START_TIME,2022-056T02:34:06.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1250)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",16,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,98,2500,5000,"LOW","LOW",
"POINT",-57343,2500,5000,"LOW","LOW","SPIN",-11029,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:08:49\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	71

```

note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Limb Down\"
),
end;

request(JRM_087,
  START_TIME,2022-056T02:43:16.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,1250)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",16,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,77,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-9806,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:08:49\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Limb Down\"
),
end;

request(JRM_088,
  START_TIME,2022-056T02:52:25.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,1250)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",11,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,79,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-8906,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:06:17\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	72

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Limb Down\"
    ),
end;

request(JRM_089,
    START_TIME,2022-056T02:59:02.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,193,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-5664,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede FP\"
    ),
end;

request(JRM_090,
    START_TIME,2022-056T03:05:09.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,203,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-5039,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	73

```

        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede FP\"
    ),
end;

request (JRM_091,
    START_TIME,2022-056T03:10:14.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,79,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",-270,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command(5,
        SCHEDULED_TIME,\00:07:17\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io FP\"
    ),
end;

request (JRM_092,
    START_TIME,2022-056T03:17:51.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",9,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,357,75,5000,"LOW","LOW",
        "POINT",-57343,75,5000,"LOW","LOW","SPIN",-4417,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    )

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	74

```

),
command(5,
  SCHEDULED_TIME,\00:05:16\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"South Pole\"
),
end;

request(JRM_093,
  START_TIME,2022-056T03:23:27.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,0)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I3_S1",16,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,275,5000,5000,"LOW","LOW",
  "POINT",-57343,5000,5000,"LOW","LOW","SPIN",-3786,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:08:50\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"South Aurora\"
),
end;

request(JRM_094,
  START_TIME,2022-056T03:32:36.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCI_PAR("SCI_I1_S1",7,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,477,75,5000,"LOW","LOW",
  "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3476,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	75

```

command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:14\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"South Pole\"
),
end;

request(JRM_095,
    START_TIME,2022-056T03:37:11.000,
    TITLE, \"jm0400_JRM_Science\",
    REQUESTOR, \"JRMTEAM\",
    PROCESSOR, \"VC2\",
    KEY, \"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I3_S1\",16,1,0,\"IDIS_SDIS\", \"HSSL\", \"ENABLE\", \"DARK\", \"DISABLE\",0,275,5000,5000,\"LOW\", \"LOW\", \"POINT\",-57343,5000,5000,\"LOW\", \"LOW\", \"SPIN\",-3159,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:08:50\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"South Aurora\"
),
end;

request(JRM_096,
    START_TIME,2022-056T03:46:20.000,
    TITLE, \"jm0400_JRM_Science\",
    REQUESTOR, \"JRMTEAM\",
    PROCESSOR, \"VC2\",
    KEY, \"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR(\"SCI_I1_S1\",7,1,0,\"IDIS_SDIS\", \"HSSL\", \"ENABLE\", \"DARK\", \"DISABLE\",0,477,75,5000,\"LOW\", \"LOW\", \"POINT\",-57343,75,5000,\"LOW\", \"LOW\", \"SPIN\",-2847,\"NO_SUMMED_SCI\")
),
command(3,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	76

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:04:14\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"South Pole\"
    ),
end;

request(JRM_097,
    START_TIME,2022-056T03:50:55.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",16,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,275,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",-2528,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:08:49\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"South Aurora\"
    ),
end;

request(JRM_098,
    START_TIME,2022-056T04:00:04.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	77

```

JRM_SCI_PAR("SCI_I1_S1",20,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,414,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-4040,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:10:53\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Atmosphere\"
),
end;

request(JRM_099,
START_TIME,2022-056T04:11:15.000,
TITLE, \"jm0400_JRM_Science\",
REQUESTOR, \"JRMTEAM\",
PROCESSOR, \"VC2\",
KEY, \"No_Key\")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2465)
),
command(2,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,437,75,5000,"LOW","LOW",
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-3803,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Atmosphere\"
),
end;

request(JRM_100,
START_TIME,2022-056T04:21:25.000,
TITLE, \"jm0400_JRM_Science\",
REQUESTOR, \"JRMTEAM\",
PROCESSOR, \"VC2\",
KEY, \"No_Key\")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2465)

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	78

```

),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,414,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3597,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_101,
    START_TIME,2022-056T04:31:35.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,393,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3415,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_102,
    START_TIME,2022-056T04:41:46.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	79	of 84

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,374,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3254,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_103,
    START_TIME,2022-056T04:51:56.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,359,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3109,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_104,
    START_TIME,2022-056T05:02:06.000,
    TITLE, "jm0400_JRM_Science",

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	80

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,344,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2980,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

request(JRM_105,
  START_TIME,2022-056T05:12:16.000,
  TITLE, "jm0400_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2465)
),
command(2,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,331,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2862,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Atmosphere\"
),
end;

```

			JIR-IAPS-SY-006-2022	
	Issue	1.0	12/07/2022	
	JUNO/JIRAM		Page	81

```

request (JRM_106,
    START_TIME,2022-056T05:22:26.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,319,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2756,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "Atmosphere" \
    ),
end;

request (JRM_107,
    START_TIME,2022-056T05:32:36.000,
    TITLE, "jm0400_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,307,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2658,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "Atmosphere" \
    )

```

			JIR-IAPS-SY-006-2022		
			Issue	1.0	12/07/2022
	JUNO/JIRAM		Page	82	of 84

```

),
end;

request (JRM_108,
        START_TIME,2022-056T05:42:46.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,297,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2569,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"Atmosphere\"
        ),
end;

request (JRM_109,
        START_TIME,2022-056T05:52:56.000,
        TITLE, "jm0400_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,287,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2487,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
),

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	83

```

note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_110,
    START_TIME,2022-056T06:03:06.000,
    TITLE,\"jm0400_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR(\"SCI_I1_S1\",9,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,596,75,5000,\"LOW\",\"LOW\",
,\"POINT\",-57343,75,5000,\"LOW\",\"LOW\",\"SPIN\",-2410,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:05:16\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"
),
end;

request(JRM_111,
    START_TIME,2022-056T06:08:34.000,
    TITLE,\"jm0400_JRM_Calibration\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION(\"CAL_I1_S1\",\"IDIS_SDIS\",\"DISABLE\",1,\"LAMP_1\")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
)

```

			JIR-IAPS-SY-006-2022	
			Issue	1.0
	JUNO/JIRAM		Page	84

```

),
  note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
  ),
end;

request(JRM_112,
  START_TIME,2022-056T06:12:54.000,
  TITLE, "jm0400_JRM-POWER_OFF",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
  command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
  ),
  note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
  ),
end;

request(JRM_113,
  START_TIME,2022-056T06:13:10.000,
  TITLE, "jm0400_JRM_Heater_Op",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
  command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
  ),
  command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
  ),
  command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BF","NON_OPERATIONAL")
  ),
end;

$$EOF

```