



Publication Year	2014
Acceptance in OA	2024-06-26T10:08:45Z
Title	METIS On Board Data Processing Description
Authors	NICOLINI, Gianalfredo
Handle	http://hdl.handle.net/20.500.12386/35253
Volume	METIS-OATO-TNO-012

**METIS INSTRUMENT
for the
Solar Orbiter Mission**

**Technical Note
METIS On Board Data Processing Description**

Principal Investigator:

Ester Antonucci
INAF – Astrophysical Observatory of Turin, Torino, Italy

and the METIS Consortium:

CNR - Institute for Photonics and Nanotechnology, Padova, Italy
CNRS – IAS, France
INAF – IASF, IFSI, OACN, OACt, OAPa, OATo, OATs, Italy
Institute of Astronomy- Czech Academy of Science, Czech Republic
Laboratoire d'Astrophysique de Marseille, France,
Max-Planck-Institute für Sonnensystemforschung, Germany
Naval Research Laboratory, USA
Politecnico of Torino, Italy
Universities of Firenze, Padova, Pavia, Italy
University of Athens, Greece

prepared by METIS Team

Book captain: G. Nicolini

approved by G. Naletto – Experiment Manager
reference METIS-OATO-TNO-012
issue 1
revision 00
date of issue 22-JAN-2014

Page intentionally left blank

Distribution

Name	Organisation
Barbara Negri	ASI – Agenzia Spaziale Italiana Viale Liegi, 26 - 00198 Roma - ITALY
Marco Castronuovo	ASI – Agenzia Spaziale Italiana Viale Liegi, 26 - 00198 Roma - ITALY
Alessandro Gabrielli	ASI – Agenzia Spaziale Italiana Viale Liegi, 26 - 00198 Roma - ITALY

Change Log

date	issue	revision	Paragraphs	reason for change
22/01/2014	1	0	All	TN First Issue as a support to the Specs/Reqs document

Table of Contents

1	INTRODUCTION	7
1.1	Scope.....	7
2	SCIENTIFIC OBSERVING MODES	8
3	IMAGE/DATA PROCESSING ALGORITHMS	12
3.1	Overview.....	12
3.2	Visible Light channel.....	12
3.2.1	VL scientific measurements.....	12
3.2.1.1	Acceptance, reordering and masking of the incoming data stream.....	13
3.2.1.2	Cosmic Ray/Solar Energetic Particle Removal.....	14
3.2.1.3	CME Flag computation.....	15
3.2.1.4	Averaging.....	17
3.2.1.5	Image statistics.....	18
3.2.1.6	TC Parameters configuring the VL acquisition and processing flow.....	18
3.2.1.7	TM parameters produced by the data processing.....	18
3.2.2	VL engineering measurements.....	18
3.2.2.1	Temporal noise frame.....	19
3.3	Ultraviolet channel.....	19
3.3.1	UV scientific measurements (Analog Mode).....	22
3.3.2	UV scientific measurements (Photon Counting Mode).....	22
3.3.3	Photon Counting Unit Overview.....	22
3.3.3.1	PCU I/O.....	23
3.3.3.2	UVDA → PCU Signals.....	23
3.3.3.3	MPPU → PCU Signals.....	24
3.3.3.4	PCU → MPPU Signals.....	24
3.3.3.5	Offset correction.....	25
3.3.3.6	3x3 Window generation.....	25
3.3.3.7	Photon Event Detection.....	26
3.3.3.8	Output Buffer.....	27
3.3.3.9	Output Data: Photon counting mode/photon list.....	27
3.3.3.10	Output Data: Photon counting mode/accumulation.....	28
3.3.4	UVD images calibrations and detector performances monitoring.....	28
3.4	VL and UV images compression algorithm, digital masking, image re-mapping and radial binning.....	28
3.4.1	Background.....	28
3.4.1	Compression algorithm.....	30
3.5	Flags generation and reaction.....	31
3.5.1	Event manager and flags on the VL channel.....	31
3.5.2	Event manager and flags on the UV channel.....	31
3.5.3	Flags broadcasting and reception.....	32
3.5.4	METIS CMEs detection flag contents.....	32
3.5.5	External flags reception.....	32
3.5.5.1	EUI “EUV-flare” flag reception.....	32
3.5.5.2	EUI “Off-limb filament” flag reception.....	32
3.5.5.3	STIX “X-ray” flag reception.....	32

4	DOCUMENT REFERENCES	33
4.1	Applicable Documents	33
4.2	Solar Orbiter Specific Applicable Documents	33
5	ACRONYMS	34

LIST OF FIGURES

Figure 1 – Example of data acquisition flow.....	9
Figure 2 – VLD assembly.	12
Figure 3 – VLD data flow.	13
Figure 4 – VLDA data stream (4 polarization angles).	14
Figure 5 - Division of METIS FOV for CMEs detection flag generation.....	16
Figure 6 – Locations of the coronal sectors (red color) where pixels of the METIS images will be summed depending on the orientations (white arrows) of the linear polarizer.....	17
Figure 7 – UVD assembly.....	19
Figure 8 - IAPS scheme.	20
Figure 9 - IAPS frame showing the spots produced by individual photons.	20
Figure 10 - METIS UV channel data processing scheme.	21
Figure 11 - Photon Counting Unit block diagram.	23
Figure 12 - Channel link interface timing [2].....	24
Figure 13 - Scheme of the 3x3 window generation.	26
Figure 14 - The selected compression algorithm operating steps.....	29
Figure 15 - Residuals are computed as difference between the original pixel value and the predicted one.	29

LIST OF TABLES

Table 1 – Acquisition times relationships.....	8
Table 2 – METIS Observing Modes and most relevant parameters.	10
Table 3 – METIS Calibration Mode and most relevant parameters.	11
Table 4 – METIS Diagnostic Mode and most relevant parameters.	11
Table 5: Preliminary list of TC parameters regulating the VL channel data acquisition.....	18
Table 6 - Channel link Interface bit assignment [2].....	23

1 Introduction

1.1 Scope

This document describes the scientific data processing algorithms running on VL and UV images collected by the METIS Processing and Power Unit (MPPU), as primary scientific products of the METIS instrument observations. Digital image processing is exclusively performed inside the MPPU at HW and SW levels as no digital processing is foreseen on board the front end electronics of the VLDA and the UVDA.

This document does not provide any requirement, only a technical description of what specified in [AD-1].