



Publication Year	2019
Acceptance in OA	2020-12-02T15:28:12Z
Title	An integrated payload design for the atmospheric remote-sensing infrared exoplanet large-survey (ARIEL): results from phase A and forward look to phase B1
Authors	Middleton, Kevin F., Tinetti, Giovanna, Beaulieu, Jean-Philippe, Güdel, Manuel, Hartogh, Paul, Eccleston, Paul, MICELA, Giuseppina, Min, Michiel, Rataj, Mirosław, Ray, Tom, Ribas, Ignasi, Vandenbussche, Bart, Auguères, Jean-Louis, Bishop, Georgia, Da Deppo, Vania, Escudero Sanz, Isabel, FOCARDI, MAURO, Hunt, Thomas, MALAGUTI, GIUSEPPE, MORGANTE, GIANLUCA, Ollivier, Marc, Pace, Emanuele, Pascale, Enzo, Taylor, William
Publisher's version (DOI)	10.1117/12.2536033
Handle	http://hdl.handle.net/20.500.12386/28633
Serie	PROCEEDINGS OF SPIE
Volume	11180

An integrated payload design for the Atmospheric Remote-sensing Infrared Exoplanet Large-survey (ARIEL): results from phase A and forward look to phase B1

Kevin Middleton^{*a}, Giovanna Tinetti^b, Jean-Philippe Beaulieu^c, Manuel Güdel^d, Paul Hartogh^e, Paul Eccleston^a, Giuseppina Micela^f, Michiel Min^g, Miroslaw Rataj^h, Tom Rayⁱ, Ignasi Ribas^j, Bart Vandenbussche^k, Jean-Louis Auguères^s, Georgia Bishop^a, Vania Da Deppo^t, Mauro Focardi^u, Thomas Huntⁿ, Giuseppe Malaguti^p, Kevin Middleton^a, Gianluca Morgante^p, Marc Ollivier^m, Emanuele Pace^q, Enzo Pascale^l, William Taylor^r

^aRAL Space, STFC – Rutherford Appleton Laboratory, Harwell Campus, Didcot, OX11 0QX, UK; ^bUniversity College London, Gower Street, London, WC1E 6BT, UK; ^cIAP, CNRS, UMR7095, Université Paris VI, 98bis Boulevard Arago, Paris, France; ^dInstitut fuer Astrophysik der Universitaet Wien, Sternwartestrasse 77, A-1180 Wien, Austria; ^eMPI for Solar System Research, Justus-von-Liebig-Weg 3, 37077 Göttingen, Germany; ^fOsservatorio Astronomico di Palermo, Piazza del Parlamento 1, 90134, Palermo, Sicily, Italy; ^gSRON, Sorbonnelaan 2, 3584 CA Utrecht, The Netherlands; ^hSpace Research Centre Polish Academy of Sciences, Bartycka 18A, 00-716 Warsaw, Poland; ⁱDublin Institute for Advanced Studies, 31 Fitzwilliam Place, Dublin 2, Ireland; ^jInstitut de Ciencies de l'Espai, (CSIC-IEEC), Campus UAB, 08193 Bellaterra, Barcelona, Spain; ^kInstitute of Astronomy Katholieke Univ. Leuven, Belgium; ^lCardiff University, Dept. Physics and Astronomy, The Parade, Cardiff, UK; ^mIAS, Université de Paris-Sud, CNRS UMR 8617, Orsay F- 91405, France; ⁿMullard Space Science Laboratory, Holmbury St. Mary, Dorking, Surrey RH5 6NT, UK; ^pINAF-IASF, Area della Ricerca CNR-INAF, via Piero Gobetti, 101, 40129 Bologna; ^qUniversity of Florence, Via Sansone, 1, 50019 Sesto Fiorentino (FI), Florence, Italy; ^rUKATC, Royal Observatory, Edinburgh, Blackford Hill, EH9 3HJ, UK; ^sSAP, CEA-Saclay, Orme des Merisiers, Bat 709, 91191 Gif sur Yvette Gif-sur-Yvette, France; ^tCNR-IFN Padova, Via Trasea 7, 35131 Padova, Italy; ^uINAF - OAA Arcetri Astrophysical Observatory, Largo E. Fermi 5, 50125 Firenze - Italy

*Corresponding Author: kevin.middleton@stfc.ac.uk; phone: +44 1235 445815; www.stfc.ac.uk/RALSpace

ABSTRACT

ARIEL (the Atmospheric Remote-sensing Infrared Exoplanet Large-survey) has been selected by ESA as the next medium-class science mission (M4), expected to be launched in 2026. The mission will be devoted to observing spectroscopically in the infrared a large population of warm and hot transiting exoplanets (temperatures from ~500 K to ~3000 K) in our nearby Galactic neighborhood, opening a new discovery space in the field of extrasolar planets and enabling the understanding of the physics and chemistry of these far away

worlds. ARIEL was selected for implementation by ESA in March 2018 from three candidate missions that underwent parallel phase A studies. This paper gives an overview of the design at the end of phase A and discusses plans for its evolution during phase B1, in the run-up to mission adoption. The associated technology development activities necessary to reach the required TRL at the end of phase B1 are outlined.

ARIEL is based on a 1 m class telescope feeding two instruments: a moderate resolution spectrometer covering the wavelengths from 1.95 to 7.8 microns; and a three channel photometer (which also acts as a fine guidance sensor) with bands between 0.5 and 1.2 microns combined with a low resolution spectrometer covering 1.25 to 1.95 microns. During its 3.5 years of operation from an L2 orbit, ARIEL will continuously observe exoplanets transiting their host star.

This paper presents the overall view of the integrated design of the payload proposed for this mission. The design tightly integrates the various payload elements in order to allow the exacting photometric stability targets to be met, while providing simultaneous spectral and photometric data from the visible to the mid-infrared. We identify and discuss the key requirements and technical challenges for the payload and address the trade-offs that were assessed during phase A, culminating in the baseline design for phase B1. We show how the design will be taken forward to produce a fully integrated and calibrated payload for ARIEL that can be built within the mission and programmatic constraints and will meet the challenging scientific performance required for transit spectroscopy.

ESA acknowledgement? Acknowledge support?